JOURNAL OF

Pharmaceutical Sciences

A publication of the American Pharmaceutical Association

Published monthly under the supervision of the Committee on Publications with the approval of the Council

Editor

EDWARD G. FELDMANN

Associate Editor

SAMUEL W. GOLDSTEIN

Assistant Editor

ROBERT F. STEEVES

Editorial Assistant

JUDITH HERRMANN

Committee on Publications

LINWOOD F. TICE, *chairman*
WILLIAM S. APPLE
GROVER C. BOWLES
HENRY M. BURLAGE
HUGO H. SCHAEFER

Editorial Advisory Board

J. H. BURCKHALTER
TROY C. DANIELS
GEORGE P. HAGER
W. W. HILTY
THOMAS J. MACEK
VARRO E. TYLER, JR.

INDEX TO VOLUME 51

INDEX TO AUTHORS
INDEX TO SUBJECTS

JANUARY TO DECEMBER, 1962

AUTHOR INDEX

A

Aceto, M. D. G., *see* Buckley, J. P., 157
——*see* Watzman, N., 1090
Agersborg, H. P. K., *see* Rosen, H., 592
Alburn, H. E., *see* Walkenstein, S. S., 598
Alexander, T. G., identification and purity test for ergonovine and methylergonovine, 702
Ali, S. E. F., and Guth, E. P., study of the lipid fraction of freeze-dried dandelion root, 924
Ambrose, D. G., and Sciuchetti, L. A., influence of kinetin and gibberellic acid on the growth and alkaloid patterns in *Datura meteloides*, 934
Amundson, M. E., *see* Lange, W. E., 32, 1102
Anderson, A. J., and Plein, E. M., pharmaceutical investigation of selected Alberta bentonites I. Geology and identification, 648; II, Limit tests and mechanical analysis, 651
Appino, J. B., Christian, J. E., and Banker, G. S., radioisotopic method of evaluating dispersed systems I. Emulsions, 254
Arora, H. R. K., and Arora, R. B., pharmacological investigation of the glucoside and aglucone isolated from *Caccinia glauca*, 1040
Arora, R. B., *see* Arora, H. R. K., 1040
Auerbach, M. E., Hefferren, J. J., Koehler, H. M., and Pratt, E. L., qualitative and quantitative tests for mepivacaine hydrochloride, 491
Aviado, D. M., structure-activity relationships of drugs affecting the lungs, 191

B

Babcock, P. A., and Quimby, M. W., histological study of *Aristolochia triangularis*, *Cascaria sylvestris*, and *Schinopsis balansae*, 555
Bagdon, W. J., and Mann, D. E., Jr., chlorpromazine hyperthermia in young albino mice, 753
Bailey, H. S., *see* Rames, L. K., 590
Baker, B. R., and Morreal, C. E., analogs of tetrahydrofolic acid VI. N-[1-(2-Amino-4-hydroxy-6-methyl-5-pyrimidyl)-3-propyl]-*p*-aminobenzoyl-L-glutamic acid, 596
Baldinus, J. G., *see* Ravin, L. J., 857
Ballard, B. E., and Nelson, E., absorption of implanted solid drug, 915
——and Nelson, E., identification test for tolbutamide and chlorpropamide, 1009
——*see* Hamlin, W. E., 432
Banker, G. S., *see* Appino, J. B., 254
——*see* Boylan, J. C., 742
——*see* Wai, K., 1076
Banks, C. J., Reddish, G. F., Huyck, C. L., quaternary ammonium germicides as surface disinfectants, 908
Bannister, M. H., *see* Williams, A. L., 970
Barnes, A. J., Jr., *see* Svoboda, G. H., 518
Barnes, R. W., and Rost, W. J., synthesis of some N-aralkyl-N-methylaminoethyl carbanilates, 146
Barnet, A. G., *see* Lange, W. E., 1128
Barr, M., percutaneous absorption, 395
Bauman, E. K., and Haskell, A. R., toxicity and central depressant activity of D-1-phenyl-2-ureidopropane, 83
Baumgarten, W., Ciminera, J. L., and Van Pelt, S. M., standardization of fibrinolytic preparations. Measurement of proteolytic and activator activity of streptokinase-activated human plasminogen, 314
Baxter, R. M., *see* Chaubal, M. G., 885
Bazga, T., *see* Shapiro, S. L., 582
Beck, S. D., *see* Smissman, E. E., 292
Beekman, S. M., preparation and properties of new gastric antacids VI. Low sodium aluminum hydroxide gel and dried gels, 679; V, Aluminum-magnesium hydroxide dried gels, 675
Benedict, R. G., Brady, L. R., and Tyler, V. E., Jr., occurrence of psilocin in *Psilocybe baeocystis*, 393
Bennett, D. P., *see* Wilken, L. O., Jr., 484
Beyer, W. F., Emmons, D. H., and Pabst, M. L., bioassay of estradiol 17-cyclopentylpropionate, 563
Bhargava, P. S., *see* Schaeffer, H. J., 1116
Bicho, J. G., *see* Mirov, N. T., 1131
Bickerton, R. K., Rockhold, W. T., Micalizzi, E. R., use of isolated strips of cat spleen for the assay of α-adrenergic blocking compounds, 837
Biermacher, U., *see* Short, J. H., 881
Biles, J. A., crystallography. Part I, 499; Part II, 601
Billman, J. H., and Dorman, L. C., hexahydropyrimidines I. Preparation of 2-substituted-1,3-bis(*p*-dimethylaminobenzyl) - hexahydropyrimidines, 1071
Blake, M. I., Kaganove, A. S., and Katz, J. J., carbon dioxide uptake studies in algae grown in water and deuterium oxide, 375
——and Siegel, F. P., analysis of phenobarbital elixir by an ion exchange and nonaqueous titration procedure, 944
——*see* Susina, S. V., 1166
Blanton, C. D., Jr., and Nobles, W. L., use of 3-azabicyclo[3.2.2.]nonane in the Mannich reaction I. Substituted β-amino ketones, 878
Blomster, R. N., *see* Farnsworth, N. R., 217
Blumenthal, A., *see* Rosen H., 592
Bobbitt, J. M., *see* Khanna, K. L., 1194
Bolton, S., and Ellis, R. I., quantitative study of chelates of pyridine-2-aldoxime, 533
——*see* Valinoti, M. R., 201
Boshart, C. R., Yim, G. K. W., and Miya, T. S., radiochemical purity of tritium exchange-labeled barbital, 385
Bousquet, W. F., pharmacology and biochemistry of drug metabolism, 297
Boylan, J. C., DeKay, H. G., and Banker, G. S., temperature-induced rheological variability in an emulsion system, 742
Brady, L. R., *see* Benedict, R. G., 393
Breunig, H. L., and King, E. P., acceptance sampling of finished pharmaceutical products, 1187
Britt, E., *see* Callahan, J. J., 333
Broadlick, D. E., *see* Gronau, F. A., 242
Brochmann-Hanssen, E., gas chromatography and its application to pharmaceutical analysis, 1017
——and Svendsen, A. B., gas chromatography of alkaloids, alkaloidal salts, and derivatives, 1095
——and Svendsen, A. B., gas chromatography of sympathomimetic amines, 393
——and Svendsen, A. B., separation and identification of barbiturates and some related compounds by means of gas-liquid chromatography, 318
——and Svendsen, A. B., separation and identification of sympathomimetic amines by gas-liquid chromatography, 938
——*see* Miyamoto, S., 552
——*see* Svendsen, A. B., 494, 514
Brown, J. K., Malone, M. H., Stuntz, D. E., Tyler, V. E., Jr., paper chromatographic determination of muscarine in *Inocybe* species, 853
Bryan, G. H., defibrillatory substance from *Pieryxia terebinthina*, 851
Buckley, J. P., Aceto, M. D. G., and Kinnard, W. J., central stimulatory activity of vanillic diethylamide, 157
——*see* Furgiuele, A. R., 1156
——*see* Hudak, W. J., 338
——*see* Watzman, N., 1090
Buckwalter, F. H., *see* Schwartz, M. A., 523, 1119
Bullock, E., *see* Hiskey, C. F., 43
Bush, J. A., stabilization of trypsin in ointment bases, 697

C

Callahan, J. J., Litterio, F., Britt, E., Rosen, B. D., and Owens, J., triphenyltetrazolium determination of 17,21-dihydroxy-20-ketosteroids in tablets, 333
Camp, W. J. R., *see* Stokes, D. M., 379
Campbell, J(ames) A(tlas), preparation and evaluation of thiamine N-cyclohexylsulfamate hydrochloride, 270
——and Slater, J. G., modification of physical properties of certain antitussive and antihistaminic agents by formation of N-cyclohexylsulfamate salts, 931
Campbell, J(ames) A(lexander), *see* Morrison, A. B., 623
——*see* Pelletier, O., 594
Candon, B. H., *see* Lange, W. E., 477
Cannon, J. G., *see* Neumeyer, J. L., 804
Carlese, J. S., *see* Ellin, R. I., 141
Casinelli, J. L., and Sinsheimer, J. E., application of Δs-analysis to pharmaceuticals II. Determination of morphine, 336
Castello, R. A., and Mattocks, A. M., discoloration of tablets containing amines and lactose, 106
Castle, R. N., and Onda, M., quinazolines I. ω-tertiaryamino-α-(4-quinazolyl)-α-phenylalkanenitriles, 1110
Cawthorne, J., *see* Haley, T. J., 1043
Chaubal, M. G., Baxter, R. M., Walker, G. C., paper chromatography of alkaloidal extracts of *Lobelia* species, 885
Chen, K., *see* Kennon, L., 1149
Cheng, S., Jonsson, S., and Semeniuk, F. T., synthesis of α- and β-amino ketone analogs of amino acids as antibacterial agents, 108
——Jonsson, S., and Semeniuk, F. T., amino ketones: kinetics of *in vitro* antibacterial activity, 975
Chessin, M., *see* Lange, W. E., 477
Cheul, M., *see* Silva, M., 289
Childress, S. J., some 1,2,3,4-benzothiatriazine 1,1-dioxides, 806
Christian, J. E., *see* Appino, J. B., 254
——*see* Pernarowski, M., 688
——*see* Schneiter, M. C., 1005
Chulski, T., *see* Morozowich, W., 993
Ciminera, J. L., *see* Baumgarten, W., 314
Ciuchta, H. P., *see* Gautieri, R. F., 55
Collins, E. J., *see* Garrett, E. R., 1050
Cooper, J., *see* Lachman, L., 224, 321
——*see* Swarts, C. J., 89, 326, 1181
Cosgrove, F. P., *see* Wilken, L. O., Jr., 484
Coviello, D. A., *see* Hartung, W. H., 390
Cronk, D. H., *see* Goettsch, R. W., 728
Cwalina, G. E., *see* Roll, W. D., 941

D

Danti, A. G., *see* Goettsch, R. W., 728
Dasgupta, B., *see* Kupchan, S. M., 599
Davis, C. S., convenient routes to medicinally important heterocycles, 1111
——Jenkins, G. L., Knevel, A. M., Paget, C., synthesis of some N- and S-substituted derivatives of 2-aminobenzenethiol, 840
Davison, C., Smith, B. W., and Smith, P. K., effects of buffered and unbuffered acetylsalicylic acid upon the gastric acidity of normal human subjects, 759
DeEds, F., *see* Masri, M. S., 999
Defeo, J. J., *see* Smookler, H. H., 736
DeKay, H. G., *see* Boylan, J. C., 742
——*see* Wai, K., 1076
Delgado, J. N., *see* Gonzales, E. B., 786, 901
DeMarco, J. D., and Marcus, A. D., colorimetric determination of salicylic acid, 1010
Demaree, G. E., *see* Holck, H. G. O., 739
Dhawan, D., *see* Kier, L. B., 1058
Discher, C. A., *see* Merkle, F. H., 117
Doerschuk, A. P., *see* Remmers, E. G., 86
Doorenbos, N. J., and Dorn, C. P., Jr., steroids IX. Synthesis of some thiazolosteroids, 414
——and Singh, H., steroids X. Preparation of azasteroids from cholestenone and progesterone, 418
Dorman, L. C., *see* Billman, J. H., 1071
Dorn, C. P., Jr., *see* Doorenbos, N. J., 414
Doughty, R. M., *see* Glasser, A. C., 1031
Draus, F. J., *see* Farnsworth, N. R., 217
Dutton, W. L., and Hirt, R. C., ultraviolet emission spectrographic determination of trace palladium to ascertain the method used to produce tetracycline, 911
Duvall, R. N., *see* Foye, W. O., 168, 1012

E

Ecanow, B., *see* Fischer, L. J., 287, 860
Eichman, M. L., Guttman, D. E., Van Winkle, Q., and Guth, E. P., interactions of xanthine molecules with bovine serum albumin, 66
Eisenbrandt, L. L., *see* Tuttle, W. W., 161
Eisman, P., *see* Lachman, L., 224
Ellin, R. I., Carlese, J. S., and Kondritzer, A. A., stability of pyridine-2-aldoxime methiodide II. Kinetics of deterioration in dilute aqueous solutions, 141
——*see* Bolton, S., 533
Emmons, D. H., *see* Beyer, W. F., 563
Ericksen, S. P., Reese, D. R., Swintosky, J. V., physical properties of lipids used in pharmacy II. Use of heating-cooling curves to study lipid materials, 843

F

Fantelli, S., *see* Setnikar, I., 566
Farnsworth, N. R., Fong, H. H. S., Blomster, R. N., and Draus, F. J., studies on *Vinca major* II. Phytochemical investigation, 217
——*see* Furgiuele, A. R., 1156
Fikrat, H. T., and Oneto, J. F., derivatives of thiazolo[5,4-d]thiazole, 527
Finholt, P., and Higuchi, T., rate studies on the hydrolysis of niacinamide, 655
Fink, G. B., and Swinyard, E. A., comparison of anticonvulsant and psychopharmacologic drugs, 548
Fischer, E. Z., *see* Riegelman, S., 129, 206, 210
Fischer, L. J., and Ecanow, B., synthesis of some new hydrazone derivatives, 287
——and Ecanow, B., synthesis of some new derivatives of N^4-*p*-cyanobenzoyl sulfanilamide, 860
Fitzloff, J., *see* Plotnikoff, N., 1007
Flanagan, T. L., Newman, J. H., Maass, A. R., and Van Loon, E. J., excretion patterns of phenothiazine-S^{35} compounds in rats. Effect of change in structure on metabolism, 996
——Reynolds, L. W., Novick, W. J., Lin, T. H., Rondish, I. M., and Van Loon, E. J., biliary and urinary excretion patterns of chlorpromazine in the dog, 833
Florey, K., *see* Roberts, H. R., 704
Fong, H. H. S., *see* Farnsworth, N. R., 217
Foye, W. O., Duvall, R. N., and Mickles, J., antiradiation compounds I. Acylated derivatives of *β*-mercaptoethylamine, 168
——Duvall, R. N., Talbot, M. H., and Zaim, R. H., synthesis of salicylamide sulfate and its effect on calcium ion solubility, 1012
——and Kay, D. H., antiradiation compounds III. N-2-Mercaptoethylpiperazines, 1098
——and Mortenson, D. B., comparative activities and toxicities IV. Dinitro- and dichloronitro- phenylamino acids and esters, 783
——and Turcotte, J. G., stability of metal complexes of nuclear-substituted salicylic acids: correlation with biological effects, 329
——*see* Lange, W. E., 1128
Freedman, L., *see* Shapiro, S. L., 582
Froede, H. C., and Heim, H. C., effect of phentolamine and tolazoline on some metabolic processes of heart homogenates, 579
Fujita, E., *see* Kupchan, S. M., 599, 1140
Furgiuele, A. R., Farnsworth, N. R., and Buckley, J. P., false-positive alkaloid reactions obtained with extracts of *Piper methysticum*, 1156

G

Garrett, E. R., characterization and mode of degradation of the neurophysiologically important transaminase inhibitors, the *α*-aminooxyalkanoic acids, 572
——facile acid hydrolysis of *p*-chlorobenzaldoxime and its oral inefficacy, 410
——prediction of stability of drugs and pharmaceutical preparations, 811
——prediction of stability in pharmaceutical preparations VIII. Oil-in-water emulsion stability and the analytical ultracentrifuge, 35; X. Alkaline hydrolysis of hydrocortisone hemisuccinate, 445
——selection, evaluation, and control of the assay of the pharmaceutical product I. Reproducibilities of assay and drug recovery from dosage forms, 672; V. Importance of assay validity, a case in point, 1036
——solvolysis of symmetrical and mixed aspirin anhydrides in 75% dioxane–25% water, 113
——and Herr, R. R., selection, evaluation, and control of the assay of the pharmaceutical product IV. Screening bulk drug stability and defining the assay of choice, 1034
——and Johnson, J. L., selection, evaluation, and control of the pharmaceutical product III. Statistical and economic evaluation of the three-component infrared spectrophotometric assay of aspirin anhydride, 767
——Johnston, R. L., and Collins, E. J., kinetics of steroid effects on Ca^{47} dynamics in dogs with the analog computer I, 1050
——and Olson, E. C., selection, evaluation, and control of the pharmaceutical product II. Effect of sampling and bulk mix heterogeneity on tablet variation, 764
——and Royer, M. E., prediction of stability in pharmaceutical preparations XI. Increased stability of soluble steroid hemiesters by steric hindrance, 451
——and Umbreit, G. R., prediction of stability in pharmaceutical preparations IX. Solution degradation and chemical assay of the antibiotic actinospectacin, 436
——and Weber, D. J., acid and enzymic hydrolysis of N-butylformamide and its oral inefficacy, 387
Gautieri, R. F., and Ciuchta, H. P., effect of certain drugs on perfused human placenta I. Narcotic analgesics, serotonin, and relaxin, 55
Gearien, J. E., *see* Shoeb, A., 469
Ghafoor, M. A., and Huyck, C. L., thioacetamide II. Substitute for hydrogen sulfide in the quantitative analysis of medicinal chemicals, 894
Giaimo, M. B., *see* Tishler, F., 1175
Glasser, A. C., and Doughty, R. M., substituted heterocyclic thioureas I. Antitubercular activity, 1031
Goettsch, R. W., Danti, A. G., and Cronk, D. H., synthesis of some derivatives of sorbic acid and their antifungal properties, 728
Goldblatt, L. A., *see* Masri, M. S., 999
Gonzalez, E. E., and Delgado, J. N., phytochemical investigations of *Amphipterygium adstringens*, 786
——McKenna, G. F., and Delgado, J. N., anticancer evaluation of *Amphipterygium adstringens*, 901
Goodhart, F. W., and Martin, A. N., solubilization of benzoic acid derivatives by polyoxyethylene stearates, 50
Goodman, H., *see* Kanig, J. L., 77
Goodman, L. S., *see* Wolf, H. H., 74
Gorman, M., *see* Svoboda, G. H., 518, 707
Goyan, J. E., *see* Tishler, F., 214
Graham, H. D., and Thomas, L. B., interaction of carrageenan and other hydrocolloids with alkaloids II. Equilibrium dialysis studies, 988
Granatek, A. P., *see* Schwartz, M. A., 523
Green, V. A., eserine potentiation of streptomycin activity in bacteria-infected embryonated chicken eggs, 467
Greenberg, L., and Ingalls, J. W., effects of tranquilizers on bacterial toxemias III. Chlorpromazine, 71
Grivas, J. C., *see* Kupchan, S. M., 1140
Gronau, F. A., Broadlick, D. E., and Hamilton, J. E., infrared method for the determination of ethanol and acetone in thimerosal tincture N.F., 242
Guillory, J. K., and Higuchi, T., solid state stability of some crystalline vitamin A compounds, 100
Gulesich, J. J., *see* Kennon, L., 278
Gump, W. S., *see* Walter, J. R., 770
Gupta, V. D., quantitative determination of dehydrocholic acid in tablets, 1195
Guth, E. P., *see* Ali, S. E. F., 924
——*see* Eichman, M. L., 66
Guttman, D. E., complex formation influence on reaction rate I. Effect of caffeine on riboflavin base-catalyzed degradation rate, 1162
——*see* Eichman, M. L., 66

H

Haley, T. J., Komesu, N., Mavis, L., Cawthorne, J., and Upham, H. C., pharmacology and toxicology of scandium chloride, 1043
Hall, N. A., *see* Wood, J. A., 668
Hamilton, J. E., *see* Gronau, F. A., 242
Hamlin, W. E., Nelson, E., Ballard, B. E., and Wagner, J. G., loss of sensitivity in distinguishing real differences in dissolution rates due to increasing intensity of agitation, 432
——*see* Morozowich, W., 993
——*see* Nelson, E., 509
Hamor, G. H., saccharin derivatives VI. Synthesis and diuretic activity of 2-methyl-6-sulfamoylsaccharin, 1109
Hanna, C., *see* Johnsen, U. E., 799
Hanus, E. J., *see* Siegel, S., 1068
Harris, L. E., *see* Leyda, J. P., 725
——*see* Portmann, G. A., 780
Hartung, W. H., and Coviello, D. A., amides of *α*-alkyloximino acids, 390
Haskell, A. R., *see* Bauman, E. K., 83
Hayden, A. L., infrared analysis of pharmaceuticals III. Identification and determination of adrenocortical steroids, barbiturates, and sulfonamides from paper chromatograms, 617
Head, W. F., Jr., immunochemical study of the diphtheria toxin-fluorescent antitoxin system, 662
Hefferren, J. J., *see* Auerbach, M. E., 491
Heim, H. C., *see* Froede, H. C., 579
Herr, R. R., *see* Garrett, E. R., 1034
Higa, S., *see* Shankman, S., 137
Highley, W. L., *see* Lynch, T. A., 529
Higuchi, T., *see* Finholt, P., 655
——*see* Guillory, J. K., 100
——*see* Rippie, E. G., 626, 776
——*see* Schroeter, L. C., 888
——*see* Simonelli, A. P., 584
——*see* Sokoloski, T. D., 172
——*see* Windheuser, J. J., 354
Higuchi, W. I., analysis of data on the medicament release from ointments, 802
——and Lau, P. K., experimental method for studying growth rates of particles in aqueous media, 1081
——and Misra, J., solubilization in nonpolar solvents. Influence of the chain length of solvent on the solubilization of water by dioctyl sodium sulfosuccinate, 455
——and Misra, J., physical degradation of emulsions *via* the molecular diffusion route and the possible prevention thereof, 459
——Okado, R., and Lemberger, A. P., aggregation in oil-in-water emulsions. Effects of dioctyl sodium sulfosuccinate concentration, 683
Hirt, R. C., *see* Dutton, W. L., 911
Hiskey, C. F., Bullock, E., and Whitman, G., spectrophotometric study of aqueous solutions of warfarin sodium, 43
Hiter, F. D., *see* Susina, S. V., 1166
Holck, H. G. O., Demaree, G. E., and Kaji, H. K., effects of *β*-diethylaminoethyl diphenylpropylacetate hydrochloride on three convulsants and on propallylonal, 739
Holland, E. L., and McCutcheon, R. S., some antiarrhythmic actions of primaquine, amodiaquin, and quinidine, 791
Hopkins, G., *see* Lachman, L., 224
Hudak, W. H., Kinnard, W. J., Jr., and Buckley, J. P., evaluation and mechanisms of action of several experimental hypotensive agents, 338
Huss, W. J., *see* Schnell, L. A., 904
——*see* Shaw, M. A., 929
Huyck, C. L., *see* Banks, C. J., 908
——*see* Ghafoor, M. A., 894
——*see* Jue, J., 773

I

Ida, T., Kishi, S., Takahashi, S., and Utsumi, I., protective coatings XIII. Amphoteric polyvinylpyridine derivatives, 1061
Ingalls, J. W., *see* Greenberg, L., 71
Ivashkiv, E., qualitative color test for identification and differentiation of some fluorinated steroids, 698

J

Jabbar, A., and Rahim, A., citrinin from *Penicillium steckii*, 595
Jacobson, C. R., *see* Johnsen, U. E., 799
Jakovljevic, I. M., colorimetric method for determination of vinblastine, 187
Jenkins, G. L., *see* Davis, C. S., 840
Jirawongse, V., Ramstad, E., and Wolinsky, J., isolation of polyporic acid from *Lopharia papyracea*, 1108
Johnsen, U. E., Jacobson, C. R., LaForge, R. A., and Hanna, C., preparation and pharmacological properties of some benzyl derivatives of diphenylacetid acid, 799
Johnson, I. S., *see* Svoboda, G. H., 707
Johnson, J. L., *see* Garrett, E. R., 767
Johnston, R. L., *see* Garrett, E. R., 1050
Jones, J. W., *see* Orth, R. E., 862
Jones, P. M., *see* Morozowich, W., 993
Jones, W. R., *see* Weaver, L. C., 1144
Jonsson, S., *see* Cheng, S., 108, 975
Judis, J., studies on the mechanism of action of phenolic disinfectants I. Release of radioactivity from carbon^{14}-labeled *Escherichia coli*, 261
Jue, J., and Huyck, C. L., thioacetamide I. Substitute for hydrogen sulfide in tests for medicinal chemicals, 773
Juszkiewicz-Donsbach, J., and Levy, G., effect of small variations in heat stimulus temperature on the tail flick response of rats in analgesimetry, 185

K

Kagonove, A. S., *see* Blake, M. I., 375
Kaistha, K. K., and Kier, L. B., structural studies on terebinthone from *Schinus terebinthefolius*, 245
——and Kier, L. B., structural studies on the triterpenes of *Schinus terebinthefolius*, 1136
Kaji, H. K., *see* Holck, H. G. O., 739
Kanig, J. L., and Goodman, H., evaluative procedures for film-forming materials used in pharmaceutical applications, 77
Kapadia, A. K., and Wiese, G. A., synthesis and antifungal evaluation of some derivatives of dialkoxybenzoic and dialkoxycinnamic acids, 962
Kaplan, L. L., and Kish, J. A., gasket insert modification of U.S.P. tablet disintegration apparatus, 706
Kapoor, L. D., and Kaul, B. K., effect of gibberellic acid on *Chenopodium ambrosioides* var. *anthelminticum*, 1113
Katz, J. J., *see* Blake, M. I., 375
Kaul, B. K., *see* Kapoor, L. D., 1113
Kay, D. H., *see* Foye, W. O., 1098
Kazerovskis, K. K., preliminary phytochemical study of *Lychnis alba* saponin, 352
Keasling, H. H., *see* Leaders, F. E., 46
Keeler, C. E., *see* Mellinger, T. J., 1169
Kennon, L., and Chen, K., probability and complexation: a new approach, 1149
——and Gulesich, J. J., some aspects of inhaler technology, 278
Kessler, W. V., *see* Schneiter, M. C., 1005
Khanna, K. L., Schwarting, A. E., and Bobbitt, J. M., the occurrence of *iso*pelletierine in *Withania somnifera*, 1194
Kho, B. T., *see* Klein, S., 966
Kier, L. B., and Dhawan, D., synthesis of sydnones as potential therapeutic agents, 1058
——*see* Kaistha, K. K., 245, 1136
——*see* Soine, T. O., 1196
King, E. P., *see* Breunig, H. L., 1187
King, M. L., *see* Kupchan, S. M., 599
Kinnard, W. J., *see* Buckley, J. P., 157
——*see* Watzman, N., 1090
Kinnard, W. J., Jr., *see* Hudak, W. J., 338
Kirch, E. R., *see* Klee, F. C., 423, 427, 540, 544
——*see* Stokes, D. M., 379
Kish, J. A., *see* Kaplan, L. L., 706
Kishi, S., *see* Ida, T., 1061
Klee, F. C., and Kirch, E. R., thiophosphoric acid derivatives of ethylamine, DL-methionine, and L-proline ethyl esters I. Synthesis, 423; II. Biological activities in guppies, 427; III. Biological activities in fruit flies, 540; IV. Biological activities in seeds of *Hyoscyamus niger*, 544
Klein, S., and Kho, B. T., thin-layer chromatography in drug analysis I. Identification procedure for various sulfonamides in pharmaceutical combinations, 966
Klein, V. V., Srensek, S. E., and Lusky, L. M., sensitization of the pigeon to epinephrine-induced ventricular fibrillation by a substituted propiophenone, 372
Kline, O. L., *see* Loy, H. W., 721
Knevel, A. M., *see* Davis, C. S., 840
——*see* Pernarowski, M., 688
——*see* Spahr, J. L., 749
Knoechel, E. L., *see* Nelson, E., 509
——*see* Schroeter, L. C., 865
Kochhar, M. M., *see* Wilken, L. O., Jr., 484
Koehler, H. M., *see* Auerbach, M. E., 491
Kohler, G. O., *see* Masri, M. S., 999
Komesu, N., *see* Haley, T. J., 1043
Kondritzer, A. A., *see* Ellin, R. I., 141
Kostenbauder, H. B., Portnoff, J. B., and Swintosky, J. V., control of urine pH and its effect on sulfaethidole excretion in humans, 1084
Kristiansen, O., *see* Smissman, E. E., 292
Krueger, E. O., and Vliet, E. B., *in vitro* testing of timed-release tablets and capsules, 181
Kruger, S., *see* Powers, M. F., 27
Kupchan, S. M., Fujita, E., Grivas, J. C., and Weaver, L. C., veratrum alkaloids L. Structure-activity relationships in a series of synthetic hypotensive analogs of the protoveratrines, 1140
——Dasgupta, B., Fujita, E., and King, M. L., 1-N-norarmepavine, 599
——*see* Weaver, L. C., 1144

L

Lachman, L., Urbanyi, T., Weinstein, S., Cooper, J., and Swartz, C. J., color stability of tablet formulations V. Effect of ultraviolet absorbers on the photostability of colored tablets, 321
——Weinstein, S., Hopkins, G., Slack, S., Eisman, P., and Cooper J., stability of antibacterial preservatives in parenteral solutions I. Factors influencing the loss of antimicrobial agents from solutions in rubber-stoppered containers, 224
——*see* Scott, M. W., 125
——*see* Swartz, C. J., 326
LaForge, R. A., *see* Johnsen, U. E., 799
Lal, H., *see* Wenzel, D. G., 695
Lange, W. E., and Amundson, M. E., soluble steroids I. Sugar derivatives, 1102
——Barnet, A. G., and Foye, W. O., availability of ionic iron from iron chelates, 1128
——Candon, B. H., and Chessin, M., metal chelates of oxazolidinones as central nervous system stimulants, 477
——Lazarus, R. N., and Amundson, M. E., substituted sulfonyl piperazines, 32
Lappas, L. C., and McKeehan, W., synthetic polymers as potential enteric and sustained-release coatings, 808
Larson, D. L., *see* Portoghese, P. S., 1115
Lau, P. K., *see* Higuchi, W. I., 1081
Lazarus, R. N., *see* Lange, W. E., 32
Leaders, F. E., and Keasling, H. H., oral *vs.* subcutaneous potency of codeine, morphine, levorphan, and anileridine as measured by rabbit toothpulp changes, 46
LeBoutillier, E., *see* Walkenstein, S. S., 598
Lee, K., *see* Miyamoto, M., 912
Lemberger, A. P., *see* Higuchi, W. I., 683
Levy, G., rheology of thixotropic montmorillonite dispersions I. Changes on aging of plain and polysorbate 80 containing dispersions, 947; II. Kinetics of structural recovery, 952
——and Procknal, J. A., unusual dissolution behavior due to film formation, 294
——and Sahli, B. A., comparison of the gastrointestinal absorption of aluminum acetylsalicylate and acetylsalicylic acid in man, 58
——*see* Juszkiewicz-Donsbach, J., 185
Leyda, J. P., and Harris, L. E., stability of anionic complexes of some barbituric acid derivatives and silver, 725
Lin, T. H., *see* Flanagan, T. L., 833
Litterio, F., *see* Callahan, J. J., 333
Lordi, N. G., *see* Paruta, A. N., 704
Loy, H. W., Kline, O. L., and Schiaffino, S. S., stability of cyanocobalamin in liver preparations for use in the treatment of pernicious anemia, 721
Luers, R. B., Jr., and Stadler, L. B., determination of *m*-aminophenol in *p*-aminosalicylic acid and sodium *p*-aminosalicylate, 178
——and Stadler, L. B., determination of *m*-aminophenol (MAP) in calcium aminosalicylate [Ca(PAS)$_2$], 910
Lusky, L. M., *see* Klein, V. V., 372
Luts, H. A., and Nobles, W. L., new 3-thiophene derivatives as sedative agents, 1173
Lynch, T. A., Highley, W. L., and Worton, A. G., pantothenyl alcohol effect on delta-1-cortisol-induced gastric ulcers, 529

M

Maass, A. R., *see* Flanagan, T. L., 996
Mader, W. J., *see* Tishler, F., 1175
Malone, M. H., and Roth, R. H., Jr., yohimbine potentiation of reserpine blepharoptosis, 345
——*see* Brown, J. K., 853
Mancinelli, P., *see* Silva, M., 289
Mann, D. E., Jr., *see* Bagdon, W. J., 753
Marcus, A. D., *see* DeMarco, J. D., 1010
Martin, A. N., *see* Goodhart, F. W., 50
Masri, M. S., Goldblatt, L. A., DeEds, F., and Kohler, G. O., relation of cathartic activity to structural modifications of ricinoleic acid of castor oil, 999
Mattocks, A. M., *see* Castello, R. A., 106
——*see* Sheth, B. B., 265
Matz, A. R., *see* Santoro, R. S., 984
Mavis, L., *see* Haley, T. J., 1043
Mazur, M. L., *see* Ravin, L. J., 857
McCutcheon, R. S., *see* Holland, E. L., 791
McKeehan, W., *see* Lappas, L. C., 808
McKenna, G. F., *see* Gonzalez, E. E., 901
McVean, D. E., *see* Sheth, B. B., 265
Meer, W. A., Westby, R. S., and Sirgo, W., identification and evaluation of botanical extracts by paper chromatography, 756
Mehra, P. N., and Mittal, T. C., pharmacognosy of Indian substitutes of male fern II. *Dryopteris barbigera* and *Dryopteris cochleata*, 367
Mellinger, T. J., and Keeler, C. E., chromatography and electrophoresis of phenothiazine drugs, 1169
Mennear, J. H., Miya, T. S., and Yim, G. K. W., studies on sciatic stimulated rat brain sulfhydryl levels, 420
Merkle, F. H., and Discher, C. A., coulometric titration of various organomercurials and mercury-containing compounds, 117
Micalizzi, E. R., *see* Bickerton, R. K., 837
Mickles, J., *see* Foye, W. O., 168
Mirov, N. T., Zavarin, E., and Bicho, J. G., composition of gum turpentines of pines. *Pinus nelsonii* and *Pinus occidentalis*, 1131
Misra, J., *see* Higuchi, W. I., 455, 459
Mittal, T. C., *see* Mehra, P. N., 367
Miya, T. S., *see* Boshart, C. R., 385
——*see* Mennear, J. H., 420
Miyamoto, M., and Lee, K., relative antiplasmin (antifibrinolysin) activity of ω-aminocarboxylic acids, 912
Miyamoto, S., and Brochmann-Hanssen, E., dissociation constants of certain γ-pyrone dicarboxylic acids. Meconic and chelidonic acid, 552

Monte-Bovi, A. J., a modified method for preparing litmus solution, 1114
——*see* Sciarra, J. J., 238
Moore, W. E., use of an approximate dielectric constant in solubility studies, 391
Morozowich, W., Chulski, T., Hamlin, W. E., Jones, P. M., Northam, J. I., Purmalis, A., and Wagner, J. G., relationship between *in vitro* dissolution rates, solubilities, and LT_{50}'s in mice of some salts of benzphetamine and etryptamine, 993
Morreal, C. E., *see* Baker, B. R., 596
Morrison, A. B., Perusse, C. B., and Campbell, J. A., relationship between *in vitro* disintegration time and *in vivo* release of vitamins from a triple-dose spaced-release preparation, 623
Mortenson, D. B., *see* Foye, W. O., 783
Moss, M., *see* Strickland, W. A., Jr., 1002

N

Nelson, E., Knoechel, E. L., Hamlin, W. E., and Wagner, J. G., influence of the absorption rate of tolbutamide on the rate of decline of blood sugar levels in normal humans, 509
——*see* Ballard, B. E., 915, 1009
——*see* Hamlin, W. E., 432
Neumeyer, J. L., and Cannon, J. G., synthesis of some monoamino alkynes, 804
Neuss, N., *see* Svoboda, G. H., 707
Newman, J. H., *see* Flanagan, T. L., 996
Nikitopoulou, G. C., *see* Varonos, D. D., 1013
Niyogi, S. K., *see* Street, H. V., 666
Nobles, W. L., *see* Blanton, C. D., Jr., 878
——*see* Luts, H. A., 1173
——*see* Rogers, F. C., 273
Northam, J. I., *see* Morozowich, W., 993
Novick, W. J., *see* Flanagan, T. L., 833

O

Okado, R., *see* Higuchi, W. I., 683
Oliver, A. T., *see* Svoboda, G. H., 518
Olson, E. C., *see* Garrett, E. R., 764
Onda, M., *see* Castle, R. N., 1110
Oneto, J. F., *see* Fikrat, H. T., 527
Orth, R. E., Jones, J. W., cyclized substituted thioureas II. Preparation of some 1-substituted 1,2,3,4-tetrazole-5-thiones, 862
Owens, J., *see* Callahan, J. J., 333

P

Pabst, M. L., *see* Beyer, W. F., 563
Paget, C., *see* Davis, C. S., 840
Papadakis, P. E., and Pirruccello, S. C., coupling of diazotized *p*-aminosalicylic acid with 5-(*p*-hydroxyphenyl)-cyclohexanedione-1,3 and related compounds, 85
Parrott, E. L., hydrolytic stability of calcium acetylsalicylate carbamide in the presence of high concentrations of additives, 897
Paruta, A. N., Sciarrone, B. J., and Lordi, N. G., correlation between solubility parameters and dielectric constants, 704
Pelletier, O., and Campbell, J. A., determination of nikethamide with cyanogen bromide and barbituric acid, 594
Peng, C. T., method of preparation of soluble radiophosphate, 293
Penunuri, E., and Steelink, C., chamazulene from *Artemesia carruthii*, 598
Pernarowski, M., Knevel, A. M., and Christian, J. E., application of absorbancy ratios to the analysis of pharmaceuticals IV. Analysis of ternary mixtures, 688
——*see* Spahr, J. L., 749
Perusse, C. B., *see* Morrison, A. B., 623
Pirruccello, S. C., *see* Papadakis, P. E., 85
Plein, E. M., *see* Anderson, A. J., 648, 651
Plotnikoff, N., Reinke, D., and Fitzloff, J., effects of stimulants on rotarod performance of mice, 1007
Pohoryles, L. A., Wislicki, L., and Sarel, S., synthesis and pharmacological effects of bis-trialkylammonium alkanol carbonates, 348
Portmann, G. A., and Harris, L. E., barbiturate glucosides, 780
Portnoff, J. B., *see* Kostenbauder, H. B., 1084
Portoghese, P. S., the absolute antipodal activity of analgesics in the basic anilide series, 1197
——and Larson, D. L., the absolute configuration of (-)-N-[2-(methylbenzylamino) - propyl]propionanilide, 1115
Powers, M. F., Kruger, S., and Schueler, F. W., synthesis and pharmacological studies of some aliphatic hemicholinium analogs, 27
Pratt, E. L., *see* Auerbach, M. E., 491
Pratt, R., antibiotics 1956–1961, 1
——effect of ionized air on early growth of black mustard seedlings, 184
Principe, J. R., and Skauen, D. M., preparation of microcrystalline progesterone using ultrasound, 389
Procknal, J. A., *see* Levy, G., 294
Prusak, L. P., and Sciarrone, B. J., effects of ionizing radiation on two gelatin fractions I. Material preparation, dosimetry, and acid-base behavior, 1046
Puccini, A. V., and Spiegel, A. J., study of the color reaction of streptomycin sulfate with procaine hydrochloride, 496
Purmalis, A., *see* Morozowich, W., 993

Q

Quimby, M. W., *see* Babcock, P. A., 555

R

Rahim, A., *see* Jabbar, A., 595
Rames, L. K., and Bailey, H. S., chemical effect of high level gamma irradiation on blood glucose *in vitro*, 590
Ramstad, E., *see* Jirawongse, V., 1108
Ravin, L. J., Baldinus, J. G., and Mazur, M. L., effect of sulfate content of several anionic polymers on *in vitro* activity of pepsin, 857
Reddish, G. F., *see* Banks, C. J., 908
Reese, D. R., *see* Eriksen, S. P., 843
Reiner, R. H., *see* Siegel, S., 1068
Reinke, D., *see* Plotnikoff, N., 1007
Remmers, E. G., Sieger, G. M., Doerschuk, A. P., Ritter, L., and Weidenheimer, J. F., new alkaline-stable species for selected members of the tetracycline family, 86
Reynolds, L. W., *see* Flanagan, T. L., 833
Riegelman, S., and Fischer, E. Z., effect of boric acid and bisulfite on the rate of oxidation of epinephrine, 210
——and Fischer, E. Z., stabilization of epinephrine against sulfite attack, 206
——Strait, L. A., and Fischer, E. Z., acid dissociation constants of phenylalkanolamines, 129
Rippie, E. G., and Higuchi, T., kinetics of copper catalyzed oxidation of 2,3-dimercapto-1-propanol by molecular oxygen, 626
——and Higuchi, T., kinetics of reaction between molecular oxygen and 2,3-dimercapto-1-propanol in aqueous solution, 776
Rising, L. W., *see* Wood, J. A., 668
Ritter, L., *see* Remmers, E. G., 86
Roberts, H. R., and Florey, K., stability assays of pharmaceutical preparations by quantitative paper chromatography. Steroid hormones in oil, 794
Rockhold, W. T., *see* Bickerton, R. K., 837
Rodin, H. H., treatment of primary and secondary infections of the skin with cetyltrimethylammonium bromide, 1107
Rogers, F. C., and Nobles, W. L., synthesis of 2-thiophene derivatives, 273
Roll, W. D., and Cwalina, G. E., synthesis of diphenic acid derivatives, 941
Rondish, I. M., *see* Flanagan, T. L., 833
Rosen, B. D., *see* Callahan, J. J., 333
Rosen, H., Blumenthal, A., and Agersborg, H. P. K., effects of the potassium and magnesium salts of aspartic acid on metabolic exhaustion, 592
Rost, W. J., *see* Barnes, R. W., 146
Roth, R. H., Jr., *see* Malone, M. H., 345
Royer, M. E., *see* Garrett, E. R., 451
Ruggiero, J. S., and Skauen, D. M., chick embryo technique for the evaluation of absorption of radioactive sodium iodide from ointment bases, 233
——and Skauen, D. M., evaluation of the absorption of radioactive sodium iodide from various ointment bases by means of a chick embryo technique, 235
Rutledge, C. O., *see* Wenzel, D. G., 631

S

Sahli, B. A., *see* Levy, G., 58
Sanders, H. D., *see* Stock, J. J., 981
Santoro, R. S., and Matz, A. R., belladonna alkaloid analysis by partition column chromatography, 984
Sarel, S., *see* Pohoryles, L. A., 348
Schaeffer, H. J., and Bhargava, P. S., studies on the mechanism of biotin action, 1116
Schiaffino, S. S., *see* Loy, H. W., 721
Schiesser, D. W., and Tuck, L. D., free radical studies by electron-spin resonance of some derivatives of phenothiazine, 694
Schlichting, D. A., ion-exchange resin salts for oral therapy I. Carbinoxamine, 134
Schneiter, M. C., Kessler, W. V., and Christian, J. E., determination of calcium carbonate moisture content by a radioisotope technique, 1005
Schnell, L. A., Husa, W. J., isotonic solutions XII. Permeability of red corpuscles to various water-soluble organic iodine compounds, 904
Schroeter, L. C., kinetics and mechanism of the salicyl alcohol-bisulfite reaction, 258
—— and Higuchi, T., bisulfite reduction of *p*-nitrobenzyl alcohol, 888
——Tingstad, J. E., Knoechel, E. L., and Wagner, J. G., specificity of relationship between rate of dissolution and disintegration time of compressed tablets, 865
——and Wagner, J. G., automated dissolution rate studies of capsules and tablets, 957
Schueler, F. W., *see* Powers, M. F., 27
Schwarting, A. E., *see* Khanna, K. L., 1194
Schwartz, M. A., and Buckwalter, F. H., pharmaceutics of penicillin, 1119
——Granatek, A. P., and Buckwalter, F. H., stability of potassium phenethicillin I. Kinetics of degradation in aqueous solution, 523
Sciarra, J. J., and Monte-Bovi, A. J., study of the boric acid-glycerin complex II. Formation of the complex at elevated temperatures, 238
Sciarrone, B. J., *see* Paruta, A. N., 704
——*see* Prusak, L. P., 1046
Sciuchetti, L. A., *see* Ambrose, D. G., 934
Scott, M. W., and Lachman, L., influence of nonequilibrium sample temperature on stability predictions extrapolated from elevated temperature studies, 125
Scott, P. M., *see* Tuttle, W. W., 161
Semeniuk, F. T., *see* Cheng, S., 108, 975
Setnikar, I., and Fantelli, S., liquefaction time of rectal suppositories, 566
Shankman, S., and Higa, S., peptide studies V. Synthesis and racemization of some optically active tripeptides of L- and D-leucine and L- and D-valine, 137
Shapiro, S. L., Bazga, T., and Freedman, L., indanols V. Indanoxyacetic acid derivatives, 582
Shaw, M. A., and Husa, W. J., isotonic solutions XIII. Hemolysis of red corpuscles by various substances in the presence of sodium chloride, 929
Shell, J. W., X-ray and crystallographic applications in pharmaceutical research I. Trace element determinations by X-ray emission, 731
Sheth, B. B., McVean, D. E., and Mattocks, A. M., rheological properties of corn oil emulsions with methylcellulose, 265
Sheth, P. B., *see* Tishler, F., 1175

Shoeb, A., and Gearien, J. E., synthesis of compounds containing the isoindoline ring system, 469
Short, J. H., and Biermacher, U., sympathetic nervous system blocking agents. Investigation of ethyl-, hydroxyethyl-, vinyloxethyl-, and propargyl - benzyldimethylammonium halides and related compounds, 881
Siegel, F. P., *see* Blake, M. I., 944
——*see* Susina, S. V., 1166
Siegel, I. A., *see* Wenzel, D. G., 1074
Siegel, S., Reiner, R. H., Zelinskie, A., and Hanus, E. J., tablets of pyrilamine resin adsorbate with aspirin and vitamin C, 1068
Sieger, G. M., *see* Remmers, E. G., 86
Silva, M., Mancinelli, P., and Cheul, M., chemical study of *Cestrum parqui*, 289
Simonelli, A. P., and Higuchi, T., melting and freezing behavior of methyl stearate, 584
Singh, H., *see* Doorenbos, N. J. 418
Singh, J., *see* Wenzel, D. G., 875
Sinsheimer, J. E., *see* Casinelli, J. L., 336
——*see* Tishler, F., 214, 645
Sirgo, W., *see* Meer, W. A., 756
Skauen, D. M., *see* Principe, J. R., 389
——*see* Ruggiero, J. S., 233, 235
Slack, S., *see* Lachman, L., 224
Slater, J. G., *see* Campbell, J. A., 931
Sleight, S. M., and Vincent, M. C., comparison study of alkyl boronic acids with boric acid, 290
Smissman, E. E., Kristiansen, O., and Beck, S. D., presence of 6-methoxybenzoxazolinone in uninjured corn tissue, 292
Smith, B. W., *see* Davison, C., 759
Smith, P. K., *see* Davison, C., 759
Smookler, H. H., and Defeo, J. J., comparative cardio-inhibitory effects of substituted cyclohexanols, 736
Soine, T. O., and Kier, L. B., observations on the structure of argemonine, 1196
——*see* Willette, R. E., 149
Sokoloski, T. D., and Higuchi, T., kinetics of degradation in solution of epinephrine by molecular oxygen, 172
Spahr, J. L., Pernarowski, M., and Knevel, A. M., direct acidimetric analysis of papaverine in concentrated lithium chloride solution, 749
Spiegel, A. J., *see* Puccini, A. V., 496
Srensek, S. E., *see* Klein, V. V., 372
Staba, E. J., production of cardiac glycosides by plant tissue cultures I. Nutritional requirements in cultures of *D. lanata* and *D. purpurea*, 249
Stadler, L. B., *see* Luers, R. B., Jr., 178, 910
Starkey, R. J., *see* Taborsky, R. G., 1152
Steelink, C., *see* Penunuri, E., 598
Stock, J. J., and Sanders, H. D., antienzymes to α- and β-amylase, 981
Stokes, D. M., Camp, W. J. R., and Kirch, E. R., determination of barbiturates in urine containing salicylate, 379
Strait, L. A., *see* Riegelman, S., 129
Street, H. V., and Niyogi, S. K., separation of tableted mixtures of barbiturates, aspirin, phenacetin, caffeine, codeine, and quinine by ion-exchange paper chromatography, 666
Strickland, W. A., Jr., study of water vapor sorption by pharmaceutical powders, 310
——and Moss, M., water vapor sorption and diffusion through hard gelatin capsules, 1002
Stuntz, D. E., *see* Brown, J. K., 853
Summa, A. F., polarographic method of analysis for pharmaceuticals, 474
Susina, S. V., Hiter, F. D., Siegel, F. P., and Blake, M. I., effect of deuterium oxide on local anesthetic activity of procaine, 1166
Svendsen, A. B., and Brochmann-Hanssen, E., gas chromatography of barbiturates II. Application to the study of their metabolism and excretion in humans, 494
——and Brochmann-Hanssen, E., separation of amino acids on ion-exchange resin papers. Dependence of R_f values on pH and ionic strength, 514
——*see* Brochmann-Hanssen, E., 318, 393, 938, 1095
Svoboda, G. H., Gorman, M., Barnes, A. J., Jr., and Oliver, A. T., alkaloids of *Vinca rosea* (*Catharanthus roseus*) XII. Preparation and characterization of trace alkaloids, 518
——Johnson, I. S., Gorman, M., and Neuss, N., current status of research on alkaloids of *Vinca rosea*, 707
Swartz, C. J., and Cooper, J., colorants for pharmaceuticals, 89
——Lachman, L., Urbanyi, T., Weinstein, S., and Cooper, J., color stability of tablet formulations VI. Preliminary study of temperature dependency of colorant loss in tablets at various pH levels, 326
——Weinstein, S., Windheuser, J., and Cooper, J., a punch and die control program and its contribution to tableting technology, 1181
——*see* Lachman, L., 321
Swintosky, J. V., riboflavin marker in drug products, 1015
——*see* Eriksen, S. P., 843
——*see* Kostenbauder, H. B., 1084
Swinyard, E. A., *see* Fink, G. B., 548
——*see* Wolf, H. H., 74
Szendey, G. L., ergotamine tartrate U.S.P., 906

T

Taborsky, R. G., and Starkey, R. J., substituted salicylamides II. Further antimicrobial and other studies with halonitrosalicylanilides, 1152
Takahashi, S., *see* Ida, T., 1061
Talbot, M. H., *see* Foye, W. O., 1012
Thomas, L. B., *see* Graham, H. D., 988
Tingstad, J. E., *see* Schroeter, L. C., 865
Tishler, F., Sheth, P. B., Giaimo, M. B., and Mader, W. J., quantitative fluorometric determination of methandrostenolone, 1175
——Sinsheimer, J. E., and Goyan, J. E., mechanism of phenobarbital degradation, 214
——Worrell, L. F., and Sinsheimer, J. F., analysis of phenobarbital in relation to its degradation products, 645
Tuck, L. D., *see* Schieser, D. W., 694
Tuckerman, M. M., photometric microtitration of catechols (epinephrine), 700
Turcotte, J. G., *see* Foye, W. O., 329
Tuttle, W. W., Eisenbrandt, L. L., and Scott, P. M., hydrocholeresis in the isolated perfused rat liver, 161
Tyler, V. E., Jr., *see* Benedict, R. G., 393
——*see* Brown, J. K., 853

U

Ulubelen, A., paper chromatographic separation and colorimetric estimation of the glycosides of *Digitalis ferruginea* seeds, 62
Umbreit, G. R., *see* Garrett, E. R., 436
Underhill, E. W., and Youngken, H. W., Jr., biosynthesis of hyoscyamine and scopolamine in *Datura stramonium*, 121
Upham, H. C., *see* Haley, T. J., 1043
Urbanyi, T., *see* Lachman, L., 321
——*see* Swartz, C. J., 326
Utsumi, I., *see* Ida, T., 1061

V

Valinoti, M. R., and Bolton, S., complexation of organic acids and bases, with their salts in aqueous solution, 201
Van Loon, E. J., *see* Flanagan, T. L., 833, 996
Van Pelt, S. M., *see* Baumgarten, W., 314
Van Winkle, Q., *see* Eichman, M. L., 66
Varonos, D. D., Voukydes, P. C., and Nikitopoulou, G. C., digitoxin antagonism by visnadin, 1013
Verderame, M., sulfide derivatives of cysteine II. Some sulfonamide derivatives of cysteine and methionine, 576
Vincent, M. C., *see* Sleight, S. M., 290
——*see* Wagner, F. A., 365
Vliet, E. B., *see* Krueger, E. O., 181
Voukydes, P. C., *see* Varonos, D. D., 1013

W

Wagner, F. A., and Vincent, M. C., analysis of thymol and eugenol employing ion-exchange resins, 365
Wagner, J. G., manually sorted punched card system for pharmaceutical literature, 481
——*see* Hamlin, W. E., 432
——*see* Morozowich, W., 993
——*see* Nelson, E., 509
——*see* Schroeter, L. C., 865, 957
Wai, K., DeKay, H. G., and Banker, G. S., stability of vitamins A, B_1, and C in selected vehicle matrices, 1076
Wailes, J. L., manometric method for the evaluation of preservatives, 165
Walkenstein, S. S., LeBoutillier, E., Wiser, R., and Alburn, H. E., screening antifatigue agents by radiorespirometry, 598
Walker, G. C., *see* Chaubal, M. G., 885
Walter, J. R., and Gump, W. S., antibacterial activity of mixtures of quaternary ammonium compounds and hexachlorophene, 770
Watzman, N., Kinnard, W. J., Aceto, M. D., and Buckley, J. P., effects of certain compounds on experimental muscular dystrophy, 1090
Weaver, L. C., Jones, W. R., and Kupchan, S. M., veratrum alkaloids LI. Hypotensive-emetic relationships in the unanesthetized dog among analogs of the protoveratrines, 1144
——*see* Kupchan, S. M., 1140
Weber, D. J., *see* Garrett, E. R., 387
Weidenheimer, J. F., *see* Remmers, E. G., 86
Weinstein, S., *see* Lachman, L., 224, 321
——*see* Swartz, C. J., 326, 1181
Wenzel, D. G., and Lal, H., simplified method for the measurement of actomyosin contraction, 695
——and Rutledge, C. O., effects of centrally-acting drugs on human motor and psychomotor performance, 631
——and Siegel, I. A., interaction of ouabain and malonate upon the contractile response of myocardium, 1074
——and Singh, J., effect of nicotine and epinephrine on *in vivo* coagulation time in rabbits, 875
Westby, R. S., *see* Meer, W. A., 756
Whitman, G., *see* Hiskey, C. F., 43
Wiese, G. A., *see* Kapadia, A. K., 962
Wilken, L. O., Jr., Kochhar, M. M., Bennett, D. P., and Cosgrove, F. P., cellulose acetate succinate as an enteric coating for some compressed tablets, 484
Willette, R. E., and Soine, T. O., coumarins I. Isolation, purification, and structure determination of pteryxin and suksdorfin, 149
Williams, A. L., and Bannister, M. H., composition of gum turpentines from twenty-two species of pine grown in New Zealand, 970
Windheuser, J. J., and Higuchi, T., kinetics of thiamine hydrolysis, 354
——*see* Swartz, C. J., 1181
Wiser, R., *see* Walkenstein, S. S., 598
Wisiicki, L., *see* Pohoryles, L. A., 348
Wolf, H. H., Swinyard, E. A., and Goodman, L. S., anticonvulsant properties of some N-substituted hydantoins, 74
Wolinsky, J., *see* Jirawongse, V., 1108
Wood, J. A., Rising, L. W., and Hall, N. A., diffusion of sodium salicylate and salicylic acid within hydrophilic ointments. Measurement with a new diffusion cell, 668
Worrell, L. F., *see* Tishler, F., 645
Worton, A. G., *see* Lynch, T. A., 529

Y

Yim, G. K. W., *see* Boshart, C. R., 385
——*see* Mennear, J. H., 420
Youngken, H. W., Jr., *see* Underhill, E. W., 121

Z

Zaim, R. H., *see* Foye, W. O., 1012
Zavarin, E., *see* Mirov, N. T., 1131
Zelinskie, A., *see* Siegel, S., 1068
Zygmunt, W. A., tetrazole analogs of various amino acids as possible bacterial antagonists, 189

SUBJECT INDEX

A

Absorbancy ratios, application of, to the analysis of pharmaceuticals IV. Analysis of ternary mixtures, 688
Absorption, gastrointestinal, of aluminum acetylsalicylate and acetylsalicylic acid in man, comparison of, 58
of implanted solid drug, 915
percutaneous, 395
of radioactive sodium iodide from ointment bases, chick embryo technique for the evaluation of, 233
of radioactive sodium iodide from various ointment bases by means of a chick embryo technique, evaluation of, 235
rate of tolbutamide, influence of, on the rate of decline of blood sugar levels in normal humans, 509
Acceptance sampling of finished pharmaceutical products, 1187
Acetone and ethanol in thimerosal tincture N.F., infrared method for the determination of, 242
Acetylsalicylate carbamide, calcium, hydrolytic stability, in the presence of high concentrations of additives, 897
Acetylsalicylic acid and aluminum acetylsalicylate, comparison of the gastrointestinal absorption of, in man, 58
buffered and unbuffered, effects upon the gastric acidity of normal human subjects, 759
Acid dissociation constants of phenylalkanolamines, 129
and enzymic hydrolysis of N-butylformamide and its oral inefficacy, 387
Acid-base behavior, material preparation, and dosimetry. Effects of ionizing radiation on two gelatin fractions I, 1046
Acidimetric analysis, direct, of papaverine in concentrated lithium chloride solution, 749
Actinospectacin, solution degradation and chemical assay of. Prediction of stability in pharmaceutical preparations IX, 436
Activities and toxicities, comparative, IV. Dinitro- and dichloronitrophenylamino acids and esters, 783
Actomyosin contraction, simplified method for the measurement of, 695
α-Adrenergic blocking compounds, use of isolated strips of cat spleen for the assay of, 837
Adrenocortical steroids, identification and determination of, from paper chromatograms. Infrared analysis of pharmaceuticals III, 617
Aggregation in oil-in-water emulsions. Effects of dioctyl sodium sulfosuccinate concentration, 683
Aging, changes on, of plain and polysorbate 80 containing dispersions. Rheology of thixotropic montmorillonite dispersions I, 947
Agitation, loss of sensitivity in distinguishing real differences in dissolution rates due to increasing intensity of, 432
Aglucone and glucoside isolated from *Caccinia glauca,* pharmacological investigation of, 1040
Algae grown in water and deuterium oxide, carbon dioxide uptake studies in, 375
Aliphatic hemicholinium analogs, synthesis and pharmacological studies of some, 27
Alkaline hydrolysis of hydrocortisone hemisuccinate. Prediction of stability in pharmaceutical preparations X, 445
Alkaline-stable species, new, for selected members of the tetracycline family, 86
Alkaloid, belladonna, analysis by partition column chromatography, 984
reactions, false-positive, obtained with extracts of *Piper methysticum,* 1156
from *Vinca rosea,* vinblastine, colorimetric method for the determination of, I, 187
Alkaloidal extracts of *Lobelia* species, paper chromatography of, 885
salts, alkaloids, and derivatives, gas chromatography of, 1095
Alkaloids, alkaloidal salts, and derivatives, gas chromatography of, 1095
interaction of carrageenan and other hydrocolloids with, II. Equilibrium dialysis studies, 988
veratrum, L. Structure-activity relationships in a series of synthetic hypotensive analogs of the protoveratrines, 1140; LI. Hypotensive-emetic relationships in the unanesthetized dog among analogs of the protoveratrines, 1144
of *Vinca rosea (Catharanthus roseus),* current status of research on, 707
of *Vinca rosea (Catharanthus roseus)* XII. Preparation and characterization of trace alkaloids, 518
Alkyl boronic acids with boric acid, comparison study of, 290
α-Alkyloximino acids, amides of, 390
Alkynes, monoamino, synthesis of some, 804
Aluminum acetylsalicylate and acetylsalicylic acid, comparison of the gastrointestinal absorption of, in man, 58
hydroxide gel and dried gels, low sodium. Preparation and properties of new gastric antacids VI, 679
Aluminum-magnesium hydroxide dried gels. Preparation and properties of new gastric antacids V, 675
Amides of α-alkyloximino acids, 390
Amines and lactose, discoloration of tablets containing, 106
sympathomimetic, gas chromatography of, 393
sympathomimetic, separation and identification of by gas-liquid chromatography, 938
Amino acids, α- and β-amino ketone analogs of, synthesis of, as antibacterial agents, 108
separation of, on ion-exchange resin papers. Dependence of R_f values on pH and ionic strength, 514
tetrazole analogs of, as possible bacterial antagonists, 189
N - [1 - (2 - Amino - 4 - hydroxy -6 - methyl - 5 - pyrimidyl) - 3 - propyl] p - aminobenzoyl - L - glutamic acid. Analogs of tetrahydrofolic acid VI, 596
Amino ketones: kinetics of *in vitro* antibacterial activity, 975
α- and β-Amino ketone analogs of amino acids as antibacterial agents, synthesis of, 108
β-Amino ketones, substituted. Use of 3-azabicyclo[3.2.2.]nonane in the Mannich reaction I, 878
2-Aminobenzenethiol, synthesis of some N- and S-substituted derivatives of, 840
ω-Aminocarboxylic acids, relative antiplasmin (antifibrinolysin) activity of, 912
α-Aminooxyalkanoic acids, neurophysiologically important transaminase inhibitors, characterization and mode of degradation of, 57
m-Aminophenol (M^+,P) in calcium aminosalicylate [$Ca(PAS)_2$], determination of, 910
determination of, in p-aminosalicylic acid and sodium p-aminosalicylate, 178
p-Aminosalicylic acid and sodium p-aminosalicylate, determination of m-aminophenol in, 178
Amodiaquin, primaquine, and quinidine, some antiarrhythmic actions of, 791
Amphipterygium adstringens, anticancer evaluation of, 901
phytochemical investigation of, 786
Amphoteric polyvinylpyridine derivatives. Protective coatings XIII, 1061
α- and β-Amylase, antienzymes to, 981
Analgesics in the basic anilide series, absolute antipodal activity of, 1197
Analog computer, kinetics of steroid effects on Ca^{47} dynamics in dogs with, I, 1050
Analogs, synthetic hypotensive, of the protoveratrines, structure-activity relationships in a series of. Veratrum alkaloids L, 1140
Analysis, belladonna alkaloid, by partition column chromatography, 984
of data on the medicament release from ointments, 802
direct acidimetric, of papaverine in concentrated lithium chloride solution, 749
pharmaceutical, gas chromatography and its application to, 1017
of phenobarbital elixir by an ion-exchange and nonaqueous titration procedure, 944
of phenobarbital in relation to its degradation products, 645
polarographic method of, for pharmaceuticals, 474
of ternary mixtures. Application of absorbancy ratios to the analysis of pharmaceuticals IV, 688
of thymol and eugenol employing ion-exchange resins, 365
Δε-Analysis, application of, to pharmaceuticals II. Determination of morphine, 336
Anemia, pernicious, stability of cyanocobalamin in liver preparations for use in the treatment of, 721
Anesthetic activity of procaine, effect of deuterium oxide on, 1166
Anileridine, oral *vs.* subcutaneous potency of, as measured by rabbit toothpulp changes, 46
Anilide series, basic, absolute antipodal activity of analgesics in, 1197
Anionic complexes of some barbituric acid derivatives and silver, stability of, 725
polymers, effect of sulfate content of several, on *in vitro* activity of pepsin, 857
Antacids, preparation and properties of new gastric, V. Aluminum-magnesium hydroxide dried gels, 675; VI. Low sodium aluminum hydroxide gel and dried gels, 679
Antagonism, digitoxin, by visnadin, 1013
Antiarrhythmic actions, some, of primaquine, amodiaquin, and quinidine, 791
Antibacterial activity of mixtures of quaternary ammonium compounds and hexachlorophene, 770
activity, *in vitro,* amino ketones: kinetics of, 975
agents, synthesis of α- and β-amino ketone analogs of amino acids as, 108
preservatives in parenteral solutions, stability of, I. Factors influencing the loss of antimicrobial agents from solutions in rubber-stoppered containers, 224
Antibiotics 1956–1961, 1; erratum, 392
Anticancer evaluation of *Amphipterygium adstringens,* 901
Anticonvulsant properties of some N-substituted hydantoins, 74
and psychopharmacologic drugs, comparison of, 548
Antienzymes to α- and β-amylase, 981
Antifatigue agents, screening, by radiorespirometry, 598
Antifibrinolysin, relative, activity of ω-aminocarboxylic acids, 912
Antifungal evaluation and synthesis of some derivatives of dialkoxybenzoic and dialkoxycinnamic acids, 962
properties of some derivatives of sorbic acid, 728
Antihistaminic and antitussive agents, modification of, by formation of N-cyclohexylsulfamate salts ,931

Antimicrobial agents, factors influencing the loss of, from solutions in rubber-stoppered containers. Stability of antibacterial preservatives in parenteral solutions I, 224
and other studies with halonitrosalicylanilides. Substituted salicylanlides II, 1152
Antiplasmin, relative, activity of ω-aminocarboxylic acids, 912
Antipodal activity, absolute, of analgesics in the basic anilide series, 1197
Antiradiation compounds I. Acylated derivatives of β-mercaptoethylamine, 168; III. N-2-Mercaptoethylpiperazines, 1098
Antitubercular activity. Substituted heterocyclic thioureas I, 1031
Antitussive and antihistaminic agents, modification of, by formation of N-cyclohexysulfamate salts, 931
Aqueous media, growth rates of particles in experimental method for studying, 1081
N-Aralkyl-N-methylaminoethyl carbanilates, synthesis of some, 146
Argemonine, observations on the structure of, 1196
Aristolochia triangularis, *Casearia sylvestris,* and *Schinopsis balansae,* histological study of, 555
Artemesia caruthii, chamazulene from, 598
Aspartic acid, potassium and magnesium salts of, effects of, on metabolic exhaustion, 592
Aspirin anhydride, three-component infrared spectrophotometric assay of, statistical and economic evaluation of. Selection, evaluation, and control of the assay of the pharmaceutical product III, 767
anhydrides, solvolysis of symmetrical and mixed, in 75% dioxane-25% water, 113
barbiturates, phenacetin, caffeine, codeine, and quinine, separation of tableted mixtures by ion-exchange paper chromatography, 666
and vitamin C, tablets of pyrilamine resin adsorbate with, 1068
Assay of α-adrenergic blocking compounds, use of isolated strips of cat spleen for the, 837
of aspirin anhydride, three-component infrared spectrophotometric, statistical and economic evaluation of. Selection, evaluation, and control of the assay of the pharmaceutical product III, 767
of choice, screening bulk drug stability and defining. Selection, evaluation, and control of the assay of the pharmaceutical product IV, 1034
of the pharmaceutical product, selection, evaluation, and control of, I. Reproducibilities of assay and drug recovery from dosage forms, 672; II, Effect of sampling and bulk mix heterogeneity on tablet variation, 764; III, Statistical and economic evaluation of the three-component infrared spectrophotometric assay of aspirin anhydride, 767; IV. Screening bulk drug stability and defining the assay of choice, 1034; V, Importance of assay validity, a case in point, 1036
reproducibilities of, and drug recovery from dosage forms. Selection, evaluation, and control of the assay of the pharmaceutical product I, 672
validity, importance of, a case in point. Selection, evaluation, and control of the assay of the pharmaceutical product V, 1036
Assays, stability, of pharmaceutical preparations by quantitative paper chromatography. Steroid hormones in oil, 794
Automated dissolution rate studies of capsules and tablets, 957
3-Azabicyclo[3.2.2.]nonane in the Mannich reaction, use of I. Substituted β-amino ketones, 878
Azasteroids from cholestenone and progesterone, preparation of. Steroids X, 418

B

Bacterial antagonists, tetrazole analogs of various amino acids as possible, 189
toxemias, effects of tranquilizers on, III. Chlorpromazine, 71
Barbital, tritium exchange-labeled, radiochemical purity of, 385
Barbiturate glucosides, 780
Barbiturates, aspirin, phenacetin, caffeine, codeine, and quinine, separation of tableted mixtures by ion-exchange paper chromatography, 666
determination of, in urine containing salicylate, 379
gas chromatography of, II. Application to the study of their metabolism and excretion in humans, 494
identification and determination of, from paper chromatograms. Infrared analysis of pharmaceuticals III, 617
and some related compounds, separation and identification of, by means of gas-liquid chromatography, 318
Barbituric acid and cyanogen bromide, determination of nikethamide with, 594
derivatives, some, and silver, stability of anionic complexes of, 725
Belladonna alkaloid analysis by partition column chromatography, 984
Bentonites, pharmaceutical investigation of selected Alberta, I. Geology and identification, 648; II, Limit tests and mechanical analysis, 651
Benzoic acid derivatives, solubilization of, by polyoxyethylene stearates, 50
1,2,3,4-Benzothiatriazine 1,1-dioxides 806
Benzphetamine and etryptamine, some salts of, relationship between *in vitro* dissolution rates, solubilites, and LT_{50}'s in mice, 993
Benzyl derivatives, of diphenylacetic acid, preparation and pharmacological properties of, 799
Biliary and urinary excretion patterns of chlorpromazine in the dog, 833
Bioassay of estradiol 17-cyclopenthylpropionate, 563
Biochemistry and pharmacology of drug metabolism, 297
Biological activities in guppies. Thiophosphoric acid derivatives of ethylamine, DL-methionine, and L-proline ethyl esters II, 427
Biosynthesis of hyoscyamine and scopolamine in *Datura stramonium,* 121
Biotin action, studies on the mechanism, of, 116
Bis-trialkylammonium alkanol carbonates, synthesis and pharmacological effects of, 348
Bisulfite and boric acid, effect of, on the rate of oxidation of epinephrine, 210
reduction of *p*-nitrobenzyl alcohol, 888
Black mustard seedlings, effect of ionized air on early growth of, 184
Blocking agents, sympathetic nervous system. Investigation of ethyl-, hydroxyethyl-, vinyloxyethyl-, and propargyl-benzyldimethylammonium halides and related compounds, 881
compounds, α-adrenergic, use of isolated strips of cat spleen for the assay of, 837
Blood glucose, chemical effect of high level gamma irradiation on, *in vitro,* 590
sugar levels in normal humans, influence of the absorption rate of tolbutamide on the rate of decline of, 509
Book Notices
Abriss der Laboratoriumstierkunde, 498
Accepted Dental Remedies 1962, 27th ed., 296
The Actinomycetes. Vol. 3, Antibiotics of Actinomycetes, 808
Actualités Pharmacologiques, 14th series, 808
Advances in Pharmacology, Vol. 1, 810
An Algorithm for Translating Chemical Nanes to Molecular Formulas, 296
Alkaloid-Bearing Plants and Their Contained Alkaloids, 296
Antimicrobial Agents Annual 1960, 296
Analyse des Stéroïdes Hormonaux. Méthodes générales, Vol. 1, 1198; Méthodes de dosage, Vol. 2, 1118
Annual Review of Biochemistry, Vol. 30, 87
Annual Review of Pharmacology, Vol. 2, 1015
Antimicrobial Agents and Chemotherapy—1961, 914
Basic Biochemistry, 295
Basic Facts of Medical Microbiology, 2nd ed., 914
Biochemical Mechanisms, 809
Biochemical Preparations, Vol. 9, 1016
Biochemistry, 3rd ed., 498
Biochemists' Handbook, 190
Biological Activity of the Leucocyte, 394
Biological Alkylating Agents, 1016
Canadian Cancer Conference, Vol. 4, 88
Carbon-14 Compounds, 497
The Chemistry and Manufacture of Cosmetics, 2nd ed., Vol. 1, 914
Chemotherapy of Tuberculosis, 87
Choix de Techniques de Biochimie Clinique, 809
Chromatography, 498
The Ciba Collection of Medical Illustrations. Vol. 3, Digestive System, 1016
Clinical Endocrinology, 3rd ed., 88
Comparative Animal Physiology, 2nd ed., 190
Composition of Gum Turpentines of Pines, 88
Developments in Industrial Microbiology, Vol. 2, 88; Vol. 3, 810
A New Dictionary of Chemistry, 3rd ed., 809
Directory of the American Council of Independent Laboratories, Inc., 8th ed., 809
Enzymes and Drug Action, 1118
Experimental Pharmacognosy, 3rd ed., 809
The Extra Pharmacopoeia, Martindale, Supplement 1961, 88
The Fire of Life, 497
Gas Chromatography, 1198
The Givaudan Index, 2nd ed., 498
Gynecologic Endocrinology, 296
Handbuch der Kolorimetrie, Kolorimetrie in der Pharmazie, Band I, 1118
Heterocyclic Compounds, Vol. 7, 88
Histopathologic Effects of Local Anesthetic Drugs and Related Substances, 295
Hypertension—Recent Advances, 498
Instrumental Methods for the Analysis of Food Additives, 497
Introduction to Immunochemical Specificity, 1118
Investigation of Rates and Mechanisms of Reactions. Part 1, 2nd ed., 190
Invitation to Chemical Research, 296
Kurzes Lehrbuch der Pharmazeutischen Chemie. Auch Zum Berbauch Fur Mediziner, 6th ed., 1118
La Cinetica Dei Farmaci E Dei Traccianti Radioattivi, 498
Le Compresse Farmaceutiche. Preparazione, Copertura, Formulario, 1118
Liofilizzazione. Note Teorico-pratiche, 1118
Los Colorantes Sinteticos en Bromatologia y Farmacia, 706
A Manual of Cosmetic Analysis, 914
Manual of Practical Micro and General Procedures in Clinical Chemistry, 810
The Mechanism of Action of Water-Soluble Vitamins, 809
Medical Abbreviations, 1016
Medicinal Chemistry, Vol. 5, 394
Metabolic Effects of Anesthesia, 1015
Metabolic Pathways in Microorganisms, 190
Methoden der Organischen Chemie (Houben-Weyl), Band V/3, Halogenverbindungen, 1118
Methods of Biochemical Analysis, Vol. 9, 810; Vol. 10, 1198
Microbial Cell Walls, 87
Microtechniques of Clinical Chemistry, 2nd ed., 394
Mises au Point Biologiques, 810
Mises au Point Relatives a des Activités Parapharmaceutiques et Biologiques, Vol. 1, 810
Modern Pharmacology and Therapeutics, 2nd ed., 295

The Nature of Sleep, 88
Nervous Inhibition, 498
Organic Reactions, Vol. 12, 914
Organic Synthesis, Vol. 41, 706
Organophosphorus Poisons, 809
The Pfizer Handbook of Microbial Metabolites, 295
Pharmaceutical Analysis, 88
Pharmacognosy, 4th ed., 295
Pharmacological Principles of Medical Practice, 5th ed., 87
Pharmacology and Oral Therapeutics, 12th ed., 190
Pharmacy Examination Review Book, Vol. 1, 190
Pharmacy State Board Questions and Answers, 295
Pharmakologie, 4th ed., 295
Phosphorus and Its Compounds, 296
Physical Chemistry of Macromolecules, 190
Piante Medicinali, Chimica Farmacologia e Terrapia, Vol. 1, 1198
Poliomyelitis, 88
Ponencias, Conferencias y Conclusiones de la la Convención Bienal de la Industria Farmacéutica Española, 498
Practical Neurochemistry, 1016
Précies de Botanique, Vol. 1, Morphologie et Reproduction des Plantes Vascularies, Systematique des Cryptogames, Vascularies et des Gymnospermes, 1198
Précis de Microbiologie, Vol. 1, 394
Problems in Communication, 809
Problems of Pulmonary Circulation, 295
Progesterone and the Defence Mechanism of Pregnancy, 394
Progress in Drug Research, Vol. 2, 190; Vol. 3, 1016
Progress in Medicinal Chemistry, Vol. 1, 498
Progress in Polarography, Vols. 1 and 2, 914
Punch-Card Methods in Research and Documentation, 809
Quinones in Electron Transport, 190
Readings in Pharmacy, 914
Renal Biopsy, 810
Rogers' Inorganic Pharmaceutical Chemistry, 7th ed., 295
Russian-English Chemical Dictionary, 1st ed., 296
Separation of Heavy Metals, 296
Shock Parthogenesis and Therapy, 810
Somatic Stability in the Newly Born, 295
Some Recent Developments in the Chemistry of Phosphate Esters of Biological Interest, 295
Steroid Drugs, 1016
Structural Forms of Anesthetic Compounds, 394
Synthetic Methods of Organic Chemistry, Vol. 15, 295
Textbook of Biochemistry, 8th ed., 1016
Textbook of Organic Medicinal and Pharmaceutical Chemistry, 4th ed., 706
A Textbook of Pharmacognosy, 8th ed., 914
Textbook of Physiology and Biochemistry, 5th ed., 498
Titrimetric Methods, 810
The Toxicology of Radioactive Substances. Vol. 1, Strontium, Caesium, Ruthenium, and Radon, 1015
Tumor Viruses of Murine Origin, 1118
Virus Meningo-Encephalitis, 190
Volkstümliche Namen der Arzneimittel, Drogen Heilkräuter und Chemikalien, 809
Writing Guide for Chemists, 810
Year Book of Drug Therapy, 1961–1962 series, 809

Boric acid and bisulfite, effect of, on the rate of oxidation of epinephrine, 210
comparison study of alkyl boronic acids with, 290
glycerin complex, study of, II. Complex formation at elevated temperatures, 238; erratum, 703
Botanical extracts, identification and evaluation by paper chromatography, 756
Bovine serum albumin interactions of, with xanthine molecules, 66
Bulk mix heterogeneity and sampling, effect on tablet variation. Selection, evaluation, and control of the assay of the pharmaceutical product II, 764
N-Butylformamide, acid and enzymic hydrolysis of, and its oral inefficacy, 387

C

Ca^{47} **dynamics** in dogs, kinetics of steroid effects on, with the analog computer I, 1050
Caccinia glauca, pharmacological investigation of the glucoside and aglucone isolated from, 1040
Caffeine, barbiturates, aspirin, phenacetin, codeine, and quinine, separation of tableted mixtures by ion-exchange paper chromatography, 666
effect of, on riboflavin base-catalyzed degradation rate. Complex formation influence on reaction rate I, 1162
Calcium acetylsalicylate carbamide in the presence of high concentrations of additives, hydrolytic stability of, 897
aminosalicylate [Ca(PAS)$_2$], determination of *m*-aminophenol (MAP) in, 910
carbonate moisture content, determination of, by a radioisotope technique, 1005
Capsules, hard gelatin, water vapor sorption and diffusion through, 1002
and tablets, automated dissolution rate studies of, 957
and tablets, timed-release, *in vitro* testing of, 181
Carbinoxamine. Ion exchange resin salts for oral therapy I, 134
Carbon dioxide uptake studies in algae grown in water and deuterium oxide, 375
Carbon^{14}-labeled *E. coli*, release of radioactivity from. Mechanism of action of phenolic disinfectants I, 261
Card system, punched, manually sorted, for pharmaceutical literature, 481
Cardiac glycosides, production of, by plant tissue cultures I. Nutritional requirements in tissue cultures of *D. lanata* and *D. purpurea*, 249
Cardio-inhibitory effects, comparative, of substituted cyclohexanols, 736
Carrageenan and other hydrocolloids with alkaloids, interaction of, II. Equilibrium dialysis studies, 988
Casaerai sylvestris, *Aristolochia triangularis*, and *Schinopsis balansae*, histological study of, 555
Castor oil, relation of cathartic activity to structural modifications of ricinoleic acid of, 999
Catechols (epinephrine), photometric titration of, 700
Catharanthus roseus (*Vinca rosea*), current status of research on the alkaloids of, 707
Cathartic activity, relation to structural modifications of ricinoleic acid of castor oil, 999
Cellulose acetate succinate as an enteric coating for some compressed tablets, 484
Central depressant activity and toxicity of D-1-phenyl-2-ureidopropane, 83
nervous system stimulants, metal chelates of oxazolidinones as, 477
stimulatory activity of vanillic diethylamide, 157
Centrally-acting drugs, effects of, on human motor and psychomotor performance, 631
Cestrum parqui, chemical study of, 289
Cetyltrimethylammonium bromide, treatment of primary and secondary infections of the skin with, 1107
Chamazulene from *Artemesia caruthii*, 598
Chelates, iron, availability of ionic iron from, 1128
metal, of oxazolidinones as central nervous system stimulants, 477
of pyridine-2-aldoxime, quantitative study of, 533
Chelidonic acid and meconic acid. Dissociation constants of certain γ-pyrone dicarboxylic acids, 552
Chemical effect of high level gamma irradiation on blood glucose *in vitro*, 590
Chemical study of *Cestrum parqui*, 289
Chenopodium ambrosioides var. *anthelminticum*, effect of gibberellic acid on, 1113
Chick embryo technique for the evaluation of absorption of radioactive sodium iodide from ointment bases, 233
technique, evaluation of the absorption of radioactive sodium iodide from various ointment bases by means of, 235
Chicken eggs, embryonated, eserine potentiation of streptomycin activity in bacteria-infected, 467
***p*-Chlorobenzaldoxime,** facile acid hydrolysis of and its oral inefficacy, 410
Chlorpromazine, biliary and urinary excretion patterns of, in the dog, 833
effects of tranquilizers on bacterial toxemias III, 71
hyperthermia in young albino mice, 753
Chlorpropamide and tolbutamide, identification test for, 1009
Cholestenone and progesterone, preparation of azasteroids from. Steroids X, 418
Chromatography and electrophoresis of phenothiazine drugs, 1169
gas, of alkaloids, alkaloidal salts, and derivatives, 1095
gas, and its application to pharmaceutical analysis, 1017
gas, of barbiturates II. Application to the study of their metabolism and excretion in humans, 494
gas, of sympathomimetic amines, 393
gas-liquid, separation and identification of barbiturates and some related compounds by means of, 318
gas-liquid, separation and identification of sympathomimetic amines by, 938
paper, identification and evaluation of botanical extracts by, 756
paper, separation and colorimetric estimation of the glycosides of *Digitalis ferruginea* seeds, 62
partition column, belladonna alkaloid analysis by, 984
quantitative paper, stability assays of pharmaceutical preparation by. Steroid hormones in oil, 794
separation of tableted mixtures of barbiturates, aspirin, phenacetin, caffeine, codeine, and quinine by ion-exchange paper chromatography, 666
thin-layer, in drug analysis I. Identification procedure for various sulfonamides in pharmaceutical combinations, 966
Citrinin from *Penicillium steckii*, 595
Coatings, protective, XIII. Amphoteric polyvinylpyridine derivatives, 1061
synthetic polymers as potential enteric and sustained-release, 808
Codeine, barbiturates, aspirin, phenacetin, caffeine, and quinine, separation of tableted mixtures by ion-exchange paper chromatography, 666
oral *vs.* subcutaneous potency of, as measured by rabbit toothpulp changes, 46
Color reaction of streptomycin sulfate with procaine hydrochloride, study of, 496
stability of tablet formulations V. Effect of ultraviolet absorbers on the photostability of colored tablets, 321; VI. Preliminary study of temperature dependency of colorant loss in tablets at various pH levels, 326
test, qualitative, for identification and differentiation of some fluorinated steroids, 698
Colorant loss in tablets at various pH levels, preliminary study of temperature dependency of. Color stability of tablet formulations VI, 326
Colorants for pharmaceuticals, 89
Colored tablets, effect of ultraviolet absorbers on the photostability of. Color stability of tablet formulations, V, 321
Colorimetric determination of salicylic acid, 1010
estimation and paper chromatographic separation of the glycosides of *Digitalis ferruginea* seeds, 62

method for the determination of vinblastine, an alkaloid from *Vinca rosea* I, 187

Combinations, pharmaceutical, identification procedure for various sulfonamides in. Thin-layer chromatography in drug analysis I, 966

Comparison study of alkyl boronic acids with boric acid, 290

Complex formation at elevated temperatures. Study of the boric acid-glycerin complex II, 238

influence on reaction rate I. Effect of caffeine on riboflavin base-catalyzed degradation rate, 1162

Complexation of organic acids and bases with their salts in aqueous solution, 201

and probability: a new approach, 1149

Complexes, anionic, stability of some barbituric acid derivatives and silver, 725

metal, of nuclear-substituted salicylic acids, stability of: correlation with biological effects, 329

Composition of gum turpentine from twenty-two species of pines grown in New Zealand, 970

Configuration, absolute, of (-)-N-[2-(methylbenzylamino) - propyl]propionanilide, 1115

Contractile response of myocardium, interaction of ouabain and malonate upon, 1074

Control program, punch and die, and its contribution to tableting technology, 1181

selection, and evaluation of the assay of the pharmaceutical product I. Reproducibilities of assay and drug recovery from dosage forms, 672; II, Effect of sampling and bulk mix heterogeneity on tablet variation, 764; III, Statistical and economic evaluation of the three-component infrared spectrophotometric assay of aspirin anhydride, 767; IV, Screening bulk drug stability and defining the assay of choice, 1034; V, Importance of assay validity, a case in point, 1036

Convulsants, effects of β-diethylaminoethyl diphenylpropylacetate hydrochloride on three, and on propallylonal, 739

Corn oil emulsions with methylcellulose, rheological properties of, 265

tissue, uninjured, presence of 6-methoxybenzoxazolinone in, 292

Coulometric titration of organomercurials and mercury-containing compounds, 117

Coumarins I. Isolation, purification, and structure determination of pteryxin and suksdorfin, 149

Crystallographic and X-ray applications in pharmaceutical research I. Trace element determinations by X-ray emission, 731

Crystallography. Part I, 499; Part II, 601

N^4-p-Cyanobenzoyl sulfanilamide, synthesis of some new derivatives of, 860

Cyanocobalamin in liver preparations for use in the treatment of pernicious anemia, stability of, 721

Cyanogen bromide and barbituric acid, determination of nikethamide with, 594

Cyclohexanols, substituted, comparative cardio-inhibitory effects of, 736

N-Cyclohexylsulfamate salts, modification of physical properties of certain antitussive and antihistaminic agents by formation of, 931

Cysteine and methionine, some sulfonamide derivatives of. Sulfide derivatives of cysteine II, 576

sulfide derivatives of, II. Some sulfonamide derivatives of cysteine and methionine, 576

D

Dandelion root, freeze-dried, study of the lipid fraction of, 924

Datura meteloides, influence of kinetin and gibberellic acid on the growth and alkaloid patterns in, 934

Defibrillatory substance from *Pteryxia terebinthina*, 851

Degradation of the neurophysiologically important transaminase inhibitors, the α-aminooxyalkanoic acids, characterization and mode of, 572

of phenobarbital, mechanism of, 214

physical, of emulsions *via* the molecular diffusion route and the possible prevention thereof, 459

products, analysis of phenobarbital in relation to its, 645

rate, riboflavin base-catalyzed, effect of caffeine on. Complex formation influence on reaction rate I, 1162

solution, and chemical assay of actinospectacin. Prediction of stability in pharmaceutical preparations IX, 436

Dehydrocholic acid in tablets, quantitative determination of, 1195

Delta-1-cortisol-induced gastric ulcers, pantothenyl alcohol effect on, 529

Determination of *m*-aminophenol in *p*-aminosalicylic acid and sodium *p*-aminosalicylate, 178

of *m*-aminophenol (MAP) in calcium aminosalicylate [$Ca(PAS)_2$], 910

of barbiturates in urine containing salicylate, 379

of 17,21-dihydroxy-20-ketosteroids in tablets, using triphenyltetrazolium, 333

of ethanol and acetone in thimerosal tincture N.F., infrared method for, 242

of morphine. Application of Δε-analysis to pharmaceuticals II, 336

of nikethamide with cyanogen bromide and barbituric acid, 594

of trace palladium, ultraviolet emission spectrographic determination of, to ascertain the method used to produce tetracycline, 911

of vinblastine, an alkaloid from *Vinca rosea*, colorimetric method for, I, 187

Deuterium oxide, effect of, on local anesthetic activity of procaine, 1166

Dialkoxybenzoic and dialkoxycinnamic acids, synthesis and antifungal evaluation of some derivatives of, 962

Dialkoxycinnamic and dialkoxybenzoic acids, synthesis and antifungal evaluation of some derivatives of, 962

Dialysis studies, equilibrium. Interaction of carrageenan and other hydrocolloids with alkaloids II, 988

Diazotized *p*-aminosalicylic acid, coupling of, with 5-(*p*-hydroxyphenyl)-cyclohexanedione - 1,3 and related compounds, 85

Dichloronitro- and dinitro-phenylamino acids and esters. Comparative activities and toxicities IV, 783

Dielectric constant, use of an approximate, in solubility studies, 391

constants, correlation between solubility parameters, 704

β-Diethylaminoethyl diphenylpropylacetate hydrochloride, effects of, on three convulsants and on propallylonal, 739

Differentiation, qualitative color test for some fluorinated steroids, 698

Diffusion cell, measurement with a new. Diffusion of sodium salicylate and salicylic acid within hydrophilic ointments, 668

and water vapor sorption through hard gelatin capsules, 1002

Digitalis ferruginea seeds, paper chromatographic separation and colorimetric estimation of the glycosides of, 62

lanata and *D. purpurea*, nutritional requirements in tissue cultures of. Production of cardiac glycosides by plant tissue cultures I, 249

purpurea and *D. lanata*, nutritional requirements in tissue cultures of. Production of cardiac glycosides by plant tissue cultures I, 249

Digitoxin antagonism by visnadin, 1013

17,21 - Dihydroxy - 20 - ketosteroids, triphenyltetrazolium determination of, in tablets, 333

2,3 - Dimercapto - 1 - propanol, kinetics of copper catalyzed oxidation of, by molecular oxygen, 626

and molecular oxygen in aqueous solution, kinetics of reaction between, 776

Dinitro- and dichloronitro- phenylamino acids and esters. Comparative activities and toxicities IV, 783

Dioctyl sodium sulfosuccinate concentration, effects of. Aggregation in oil-in-water emulsions, 683

influence of the chain length of solvent on the solubilization of water by. Solubilization in nonpolar solvents, 455

Diphenic acid derivatives, synthesis of, 941

Diphenylacetic acid, preparation and pharmacological properties of some benzyl derivatives of, 799

Diphtheria toxin-fluorescent antitoxin system, immunochemical study of, 662

Discoloration of tablets containing amines and lactose, 106

Disinfectants, surface, quaternary ammonium germicides as, 908

Disintegration time of compressed tablets, specificity of the relationship between rate of dissolution and, 865

relationship between *in vitro* and *in vivo* release of vitamins from a triple-dose spaced-release preparation, 623

Dispersed systems, radioisotopic method of evaluating, I. Emulsions, 254

Dispersions, plain and polysorbate 80, changes on aging. Rheology of thixotropic montmorillonite dispersions I, 947

rheology of thixotropic montmorillonite, I. Changes on aging of plain and polysorbate 80 containing dispersions, 947; II, Kinetics of structural recovery, 952

Dissociation constants of certain γ-pyrone dicarboxylic acids. Meconic acid and chelidonic acid, 552

Dissolution and disintegration time of compressed tablets, specificity of the relationship between rate of, 865

rate studies, automated, of capsules and tablets, 957

rates, loss of sensitivity in distinguishing real differences in, due to increasing intensity of agitation, 432

rates, solubilities, and LT_{50}'s in mice of some salts of benzphetamine and etryptamine, relationship between *in vitro*, 993

unusual behavior due to film formation, 294

Diuretic activity and synthesis of 2-methyl-6-sulfamoylsaccharin. Saccharin derivatives, VI, 1109

Dosage forms, reproducibilities of assay and drug recovery. Selection, evaluation, and control of the assay of the pharmaceutical product I, 672

Dosimetry, material preparation, and acid-base behavior. Effects of ionizing radiation on two gelatin fractions I, 1046

Dried gels, aluminum-magnesium hydroxide. Preparation and properties of new gastric antacids V, 675

and low sodium aluminum hydroxide gel. Preparation and properties of new gastric antacids VI, 679

Drug analysis, thin-layer chromatography in, I. Identification procedure for various sulfonamides in pharmaceutical combinations, 966

implanted solid, absorption of, 915

metabolism, pharmacology and biochemistry of, 297

products, riboflavin marker in, 1015

recovery from dosage forms and reproducibilities of assay. Selection, evaluation, and control of the assay of the pharmaceutical product I, 672

stability, bulk, screening and defining the assay of choice. Selection, evaluation, and control of the assay of the pharmaceutical product IV, 1034

Drugs affecting the lungs, structure-activity relationships of, 191

anticonvulsant and psychopharmacologic, comparison of, 548

effect of certain, on perfused human placenta I. Narcotic analgesics, serotonin, and relaxin, 55

effects of centrally-acting on human motor and psychomotor performance, 631

E

Economic and statistical evaluation of the three-component infrared spectrophotometric assay of aspirin anhydride. Selection, evaluation, and control of the assay of the pharmaceutical product III, 767

Editorials
- An International Flavor (March)
- Considerable Progress (August)
- Dual Role of the FDA (May)
- Fundamental and Applied Research (April)
- Hearty Congratulations! (January)
- In the American Tradition (February)
- Limitations as Well as Capacities (June)
- Pathetic Paradox (December)
- Precise Quantitation Is Needed (September)
- Programmed for Convenience (July)
- Proper Perspective Appears Needed (November)
- Renaissance of Professionalism (October)

Electron-spin resonance, free radical studies by, of some derivatives of phenothiazine, 694

Electrophoresis and chromatography of phenothiazine drugs, 1169

Elixir, phenobarbital, analysis of, by an ion-exchange and nonaqueous titration procedure, 944

Emulsion stability, oil-in-water, and the analytical ultracentrifuge. Prediction of stability in pharmaceutical preparations VIII, 35
- system, temperature-induced rheological variability in, 742

Emulsions, aggregation in oil-in-water. Effects of dioctyl sodium sulfosuccinate concentration, 683
- physical degradation of, *via* the molecular diffusion route and the possible prevention thereof, 459
- radioisotopic method of evaluating dispersed systems I, 254

Enteric coating, cellulose acetate succinate as, for some compressed tablets, 484
- and sustained-release coatings, synthetic polymers as potential, 808

Enzymic and acid hydrolysis of N-butylformamide and its oral inefficacy, 387

Epinephrine-induced ventricular fibrillation, sensitization of the pigeon to, by a substituted propiophenone, 372

Epinephrine, kinetics of degradation in solution by molecular oxygen, 172
- and nicotine, effect on *in vivo* coagulation time in rabbits, 875
- oxidation rate, of, effect of boric acid and bisulfite on, 210
- photometric titration of catechols, 700
- stabilization of, against sulfite attack, 206

Ergonovine and methylergonovine, identification and purity test for, 702

Ergotamine tartrate U.S.P., 906

Eserine potentiation of streptomycin activity in bacteria-infected embryonated chicken eggs, 467

Estradiol 17-cyclopentylpropionate, bioassay of, 563

Ethanol and acetone in thimerosal tincture N.F., infrared method for the determination of, 242

Ethyl-, hydroxyethyl-, vinyloxethyl-, and propargyl-benzyldimethylammonium halides and related compounds, investigation of. Sympathetic nervous system blocking agents, 881

Ethylamine, DL-methionine, and L-proline ethyl esters, thiophosphoric acid derivatives of, I. Synthesis, 423; II, Biological activities in guppies, 427; III, Biological activities in fruit flies, 540; IV, Biological activities in *Hyoscyamus niger* seeds, 544

Etryptamine and benzphetamine, some salts of, relationship between *in vitro* dissolution rates, solubilities, and LT_m's in mice, 993

Eugenol and thymol, analysis of, employing ion-exchange resins, 365

Evaluating dispersed systems, radioisotopic method of, I. Emulsions, 254

Evaluation of absorption of radioactive sodium iodide from ointment bases, chick embryo technique for, 233
- of the absorption of radioactive sodium iodide from various ointment bases by means of a chick embryo technique, 235
- and identification of botanical extracts by paper chromatography, 756
- and mechanisms of action of several experimental hypotensive agents, 338
- selection, and control of the assay of the pharmaceutical product I. Reproducibilities of assay and drug recovery from dosage forms, 672; II, Effect of sampling and bulk mix heterogeneity on tablet variation, 764; III, Statistical and economic evaluation of the three-component infrared spectrophotometric assay of aspirin anhydride, 767; IV, Screening bulk drug stability and defining the assay of choice, 1034; V, Importance of assay validity, a case in point, 1036
- statistical and economic, of the three-component infrared spectrophotometric assay of aspirin anhydride. Selection, evaluation, and control of the assay of the pharmaceutical product III, 767

Excretion patterns of chlorpromazine in the dog, biliary and urinary, 833
- patterns of phenothiazine-S^{35} compounds in rats. Effect of change in structure on metabolism, 996

sulfaethidole, in humans, control of urine pH and its effect on, 1084

Extracts, botanical, identification and evaluation by paper chromatography, 756

F

Facile acid hydrolysis of *p*-chlorobenzaldoxime and its oral inefficacy, 410

False-positive alkaloid reactions obtained with extracts of *Piper methysticum*, 1156

Fern, male, pharmacognosy of Indian substitutes of, II. *Dryopteris barbigera* and *D. cochleata*, 367

Fibrinolytic preparations, standardization of. Measurement of proteolytic and activator activity of streptokinase-activated human plasminogen, 314

Film formation, unusual dissolution behavior due to, 294

Film-forming materials used in pharmaceutical applications, evaluative procedures for, 77

Flourescent antitoxin-diphtheria toxin system, immunochemical study of, 662

Fluorinated steroids, qualitative color test for identification and differentiation of, 698

Fluorometric determination, quantitative, of methandrostenolone, 1175

Free radical studies by electron-spin resonance of some derivatives of phenothiazine, 694

Freezing and melting behavior of methyl stearate, 584

G

Gamma irradiation, high level, chemical effect of, on blood glucose *in vitro*, 590

Gas chromatography of alkaloids, alkaloidal salts, and derivatives, 1095
- and its application to pharmaceutical analysis, 1017
- of barbiturates II. Application to the study of their metabolism and excretion in humans, 494
- of sympathomimetic amines, 393

Gas-liquid chromatography, separation and identification of barbiturates and some related compounds by means of, 318

Gasket insert modification of U.S.P. tablet disintegration apparatus, 706

Gastric acidity, effects of buffered and unbuffered acetylsalicylic acid upon normal human subjects, 759

Gastrointestinal absorption of aluminum acetylsalicylate and acetylsalicylic acid in man, comparison of, 58

Gelatin fractions, two, effects of ionizing radiation on, I. Material preparation, dosimetry, and acid-base behavior, 1046

Gibberellic acid, effect of, on *Chenopodium ambrosioides* var. *anthelminticum*, 1113
- and kinetin acid, influence of, on the growth and alkaloid patterns in *Datura meteloides*, 934

Glucoside and aglucone isolated from *Caccinia glauca*, pharmacological investigation of, 1040

Glucosides, barbiturate, 780

Glycosides, cardiac, production of, by plant tissue cultures I. Nutritional requirements in tissue cultures of *D. lanata* and *D. purpurea*, 249
- of *Digitalis ferruginea* seeds, paper chromatographic separation and colorimetric estimation of, 62

Growth rates of particles in aqueous media, experimental method for studying, 1081

Gum turpentines from twenty-two species of pines grown in New Zealand, composition of, 970

Guppies, biological activities in. Thiophosphoric acid derivatives of ethylamine, DL-methionine, and L-proline ethyl esters II, 427

H

Halonitrosalicylanilides, further antimicrobial and other studies with. Substituted salicylanilides II, 1152

Heart homogenates, effect of phentolamine and tolazoline on some metabolic processes of, 579

Heat stimulus temperature, effect of small variations in, on the tail flick response of rats in analgesimetry, 185

Heating-cooling curves to study lipid materials, use of. Physical properties of lipids used in pharmacy, II, 843

Hemicholinium analogs, aliphatic, synthesis and pharmacological studies of some, 27

Hemolysis of red corpuscles by various substances in the presence of sodium chloride. Isotonic solutions, XIII, 929

Heterocycles, medicinally important, convenient routes to, 1111

Heterocyclic thioureas, substituted, I. Antitubercular activity, 1031

Hexachlorophene and quaternary ammonium compounds, antibacterial activity of mixtures, of, 770

Hexahydropyrimidines I. Preparation of 2-substituted-1,3-bis(*p*-dimethylaminobenzyl) hexahydropyrimidines, 1071

Hormones, steroid, in oil. Stability assays of pharmaceutical preparations by quantitative paper chromatography, 794

Human motor performance, effects of centrally-acting drugs on, 631
- plasminogen, streptokinase-activated, measurement of proteolytic and activator activity of. Standardization of fibrinolytic preparations, 314

Hydantoins, N-substituted, ant convulsant properties of some, 74

Hydrazone derivatives, synthesis of some, 287

Hydrocholeresis in the isolated perfused rat liver, 161

Hydrocolloids, other, and carrageenan, interaction of, with alkaloids, II. Equilibrium dialysis studies, 988

Hydrocortisone hemisuccinate, alkaline hydrolysis of. Prediction of stability in pharmaceutical preparations X, 445

Hydrogen sulfide in the quantitative analysis of medicinal chemicals, substitute for. Thioacetamide II, 894
- substitute for, in medicinal chemicals for identity and purity. Thioacetamide I, 773

Hydrolysis, acid and enzymic, of N-butylformamide and its oral inefficacy, 387
- acid, facile, of *p*-chlorobenzaldoxime and its oral inefficacy, 410

alkaline, of hydrocortisone hemisuccinate. Prediction of stability in pharmaceutical preparations X, 445
of niacinamide, rate studies on, 655
thiamine, kinetics of, 354
Hydrophilic ointments, diffusion of sodium salicylate and salicylic acid within. Measurement with a new diffusion cell, 668
Hydroxyethyl-, ethyl-, vinyloxyethyl-, and propargyl- benzyldimethylammonium halides and related compounds, investigation of. Sympathetic nervous system blocking agents, 881
5 - (*p* - Hydroxyphenyl) - cyclohexanedione-1,3 and related compounds, coupling of, with diazotized *p*-aminosalicylic acid, 85
Hyoscyamine and scopolamine in *Datura stramonium*, biosynthesis of, 121
Hyperthermia, chlorpromazine, in young albino mice, 753
Hypotensive agents, experimental, evaluation and mechanisms of action of several, 338
analogs, synthetic, of the protoveratrines, structure-activity relationships in a series of. Veratrum alkaloids L, 1140
Hypotensive-emetic relationships in the unanesthetized dog among analogs of the protoveratrines. Veratrum alkaloids LI, 1144

I

Identification and evaluation of botanical extracts by paper chromatography, 756
procedure for various sulfonamides in pharmaceutical combinations. Thin-layer chromatography in drug analysis I, 966
qualitative color test for some fluorinated steroids, 698
and separation of barbiturates and some related compounds by means of gas-liquid chromatography, 318
and separation of sympathomimetic amines by gas-liquid chromatography, 938
test for ergonovine and methylergonovine, 762
test for tolbutamide and chlorpropamide, 1009
Identity and purity, substitute for hydrogen sulfide in medicinal chemicals. Thioacetamide I, 773
Immunochemical study of the diphtheria toxin-fluorescent antitoxin system, 662
Implanted solid drug, absorption of, 915
Indanols V. Indanoxyacetic acid derivatives, 582; erratum, 1101
Indanoxyacetic acid derivatives. Indanols V, 582
Infrared analysis of pharmaceuticals III. Identification and determination of adrenocortical steroids, barbiturates, and sulfonamides from paper chromatograms, 617
method for the determination of ethanol and acetone in thimerosal tincture N.F., 242
spectrophotometric, three-component, assay of aspirin anhydride, statistical and economic evaluation of. Selection, evaluation, and control of the assay of the pharmaceutical product III, 767
Inhaler technology, some aspects of, 278
Inocybe species, paper chromatographic determination of muscarine in, 853
Interactions of xanthine molecules with bovine serum albumin, 66
In vitro testing of timed-release tablets and capsules, 181; erratum, 763
Iodine compounds, various water-soluble organic, permeability of red corpuscles to. Isotonic solutions XII, 904
Ion-exchange and nonaqueous titration procedure, analysis of phenobarbital elixir by an, 944
paper chromatography, separation of tableted mixtures of barbiturates, aspirin, phenacetin, caffeine, codeine, and quinine by, 666
resin papers, separation of amino acids on. Dependence of R_f values on pH and ionic strength, 514
resin salts for oral therapy I. Carbinoxamine, 134
resins, analysis of thymol and eugenol employing, 365
Ionic iron, availability of, from iron chelates, 1128
Ionized air, effect of, on early growth of black mustard seedlings, 184
Ionizing radiation, effects of, on two gelatin fractions I. Material preparation, dosimetry, and acid-base behavior, 1046
Iron chelates, availability of ionic iron from, 1128
ionic, availability of, from iron chelates, 1128
Isoindoline ring system, synthesis of compounds containing, 469
Isolation of polyporic acid from *Lopharia papyracea*, 1108
Isotonic solutions XII. Permeability of red corpuscles to various water-soluble organic iodine compounds, 904; XIII. Hemolysis of red corpuscles by various substances in the presence of sodium chloride, 929

K

Ketones, *β*-amino, substituted. Use of 3-azabicyclo [3.2.2.]nonane in the Mannich reaction I, 878
Kinetics of copper catalyzed oxidation of 2,3-dimercapto-1-propanol by molecular oxygen, 626
of degradation in solution of epinephrine by molecular oxygen, 172
of *in vitro* antibacterial activity, amino ketones, 975
and mechanism of the salicyl alcohol-bisulfite reaction, 258
of potassium phenethicillin degradation in aqueous solution I, 523
of reaction between molecular oxygen and 2,3-dimercapto-1-propanol in aqueous solution, 776
of steroid effects on Ca^{47} dynamics in dogs with the analog computer I, 1050
of structural recovery. Rheology of thixotropic montmorillonite dispersions II, 952
of thiamine hydrolysis, 354
Kinetin and gibberellic acid, influence of, on the growth and alkaloid patterns in *Datura meteloides*, 934

L

Lactose and amines, discoloration of tablets containing, 106
Levorphan, oral *vs.* subcutaneous potency of, as measured by rabbit toothpulp changes, 46
Lipid fraction of freeze-dried dandelion root, study of, 924
materials, use of heating-cooling curves to study. Physical properties of lipids used in pharmacy II, 843
Lipids used in pharmacy, physical properties of, II. Use of heating-cooling curves to study lipid materials, 843
Liquefaction time of rectal suppositories, 566
Literature, pharmaceutical, manually sorted punched card system for, 481
Litmus solution, a modified method for preparing, 1114
Liver preparations, stability of cyanocobalamin in, for use in the treatment of pernicious anemia, 721
Lobelia species, paper chromatography of alkaloidal extracts of, 885
Lopharia papyracea, isolation of polyporic acid from, 1108
Loss of sensitivity in distinguishing real differences in dissolution rates due to increasing intensity of agitation, 432
Lychnis alba saponin, preliminary phytochemical study of, 352

M

Magnesium and potassium salts of aspartic acid, effects of, on metabolic exhaustion, 592
Male fern, pharmacognosy of Indian substitutes of, II. *Dryopteris barbigera* and *D. cochleata*, 367
Malonate and ouabain, interaction of, upon the contractile response of myocardium, 1074
Mannich reaction, use of 3-azabicyclo-[3.2.2.]nonane in the, I. Substituted *β*-amino ketones, 878
Manometric method for the evaluation of preservatives, 165
Manually sorted punched card system for pharmaceutical literature, 481
Marker, riboflavin, in drug products, 1015
Mechanism of action of phenolic disinfectants, I. Release of radioactivity from carbon^{14}-labeled *E. coli*, 261
of biotin action, studies on, 1116
and kinetics of the salicyl alcohol-bisulfite reaction, 258
and evaluation of action of several experimental hypotensive agents, 338
Meconic acid and chelidonic acid. Dissociation constants of certain γ-pyrone dicarboxylic acids, 552
Medicament release from ointments, analysis of data on, 802
Medicinal chemicals, substitute for hydrogen sulfide in the quantitative analysis of. Thioacetamide II, 894
Melting and freezing behavior of methyl stearate, 584
Mepivacaine hydrochloride, qualitative and quantitative tests for, 491
***β*-Mercaptoethylamine,** acylated derivatives of. Antiradiation compounds I, 168
N-2-Mercaptoethylpiperazines. Antirradiation compounds III, 1098
Mercury-containing compounds and organomercurials, coulometric titration of, 117
Metabolic exhaustion, effects of potassium and magnesium salts of aspartic acid on, 592
Metabolism, drug, pharmacology and biochemistry of, 297
effect of change in structure on. Excretion patterns of phenothiazine-S^{35} compounds in rats, 996
Metal chelates of oxazolidinones as central nervous system stimulants, 477
complexes of nuclear-substituted salicylic acids, stability of: correlation with biological effects, 329
Methandrostenolone, quantitative fluorometric determination of, 1175
Methionine and cysteine, some sultonamide derivatives of. Sulfide derivatives of cysteine II, 576
DL-Methionine, ethylamine, and L-proline ethyl esters, thiophosphoric acid derivatives of, I. Synthesis, 423; II. Biological activities in guppies, 427; III. Biological activities in fruit flies, 540; IV. Biological activities in *Hyoscyamus niger* seeds, 544
6-Methoxybenzoxazolinone, presence of, in uninjured corn tissue, 292
Methyl stearate, melting and freezing behavior of, 584
(-) - *N* - [2 - (Methylbenzylamino)-propyl]propionanilide, the absolute configuration of, 1115
Methylcellulose, corn oil emulsions with, rheological properties of, 265
Methylergonovine and ergonovine, identification and purity test for, 702
2-Methyl-6-sulfamoylsaccharin, synthesis and diuretic activity of. Saccharin derivatives VI, 1109
Mice, chlorpromazine hyperthermia in young albino, 753
effects of stimulants on rotarod performance of, 1007
Microcrystalline progesterone, preparation of, using ultrasound, 389
Microtitration, photometric, of catechols (epinephrine), 700
Moisture content of calcium carbonate, determination of by a radioisotope technique, 1005
Molecular diffusion route, physical degradation of emulsions *via*, and the possible prevention thereof, 459
Monoamino alkynes, synthesis of some, 804
Montmorillonite, thixotropic, dispersions rheology of, I. Changes on aging of plain and polysorbate 80 containing dispersions, 947; II. Kinetics of structural recovery, 952

Morphine, determination of. Application of $\Delta\epsilon$-analysis to pharmaceuticals II, 336
oral *vs.* subcutaneous potency of, as measured by rabbit toothpulp changes, 46
Muscarine in *Inocybe* species, paper chromatographic determination of, 853
Muscular dystrophy, experimental, effects of certain compounds on, 1090
Mustard seedlings, black, effect of ionized air on early growth of, 184
Myocardium, interaction of ouabain and malonate upon the contractile response of, 1074

N

Narcotic analgesics. Effect on perfused human placenta I, 55
Niacinamide, rate studies on the hydrolysis of, 655
Nicotine and epinephrine, effect on *in vivo* coagulation time in rabbits, 875
Nikethamide, determination of, with cyanogen bromide and barbituric acid, 594
***p*-Nitrobenzyl** alcohol, bisulfite reduction of, 888
Nonaqueous titration and ion-exchange procedure, analysis of phenobarbital elixir, 944
Nonpolar solvents, solubilization in. Influence of the chain length of solvent on the solubilization of water by dioctyl sodium sulfosuccinate, 455
***l*-N-Norarmepavine,** 599
Nuclear-substituted salicylic acids, stability of metal complexes of: correlation with biological effects, 329
Nutritional requirements in tissue cultures of *D. lanata* and *D. purpurea*. Production of cardiac glycosides by plant tissue cultures I, 249

O

Occurrence of *i*sopelletierine in *Withania somnifera*, 1194
Oil-in-water emulsion stability and the analytical ultracentrifuge. Prediction of stability in pharmaceutical preparations VIII, 35
Ointment bases, chick embryo technique for the evaluation of absorption of radioactive sodium iodide from, 233
bases, evaluation of the absorption of radioactive sodium iodide from various, by means of a chick embryo technique, 235
bases, stabilization of trypsin in, 697
Ointments, analysis of data on the medicament release from, 802
hydrophilic, diffusion of sodium salicylate and salicylic acid within. Measurement with a new diffusion cell, 668
Organic acids and bases, complexation of, with their salts in aqueous solution, 201
iodine compounds, permeability of red corpuscles to various water-soluble. Isotonic solutions XII, 904
Organomercurials and mercury-containing compounds, coulometric titration of, 117
Ouabain and malonate, interaction of, upon the contractile response of myocardium, 1074
Oxazolidinones, metal chelates of, as central nervous system stimulants, 477
Oxidation rate of epinephrine, effect of boric acid and bisulfite on, 210
Oxygen, molecular, and 2,3-dimercapto-1-propanol in aqueous solution, kinetics of reaction between, 776
kinetics of copper catalyzed oxidation of 2,3-dimercapto-1-propanol by, 626

P

Palladium, trace, ultraviolet emission spectrographic determination of, to ascertain the method used to produce tetracycline, 911
Pantothenyl alcohol effect on delta-1-cortisol-induced gastric ulcers, 529
Papaverine in concentrated lithium chloride solution, direct acidimetric analysis of, 749
Paper chromatographic determination of muscarine in *Inocybe* species, 853
chromatographic separation and colorimetric estimation of the glycosides of *Digitalis ferruginea* seeds, 62
chromatography of alkaloidal extracts of *Lobelia* species, 885
chromatography, identification and evaluation of botanical extracts by, 756
chromatography, quantitative, stability assays of pharmaceutical preparations by. Steroid hormones in oil, 794
Parenteral solutions, stability of antibacterial preservatives in, I. Factors influencing the loss of antimicrobial agents from solutions in rubber-stoppered containers, 224
Particles in aqueous media, experimental method for studying growth rates of, 1081
isoPelletierine, occurrence of, in *Withania somnifera*, 1194
Penicillin, pharmaceutics of, 1119
Penicillium steckii, citrinin from, 595
Pepsin, effect of sulfate content of several anionic polymers on *in vitro* activity of, 857
Peptide studies V. Synthesis and racemization of some optically active tripeptides of L- and D-leucine and L- and D-valine, 137
Percutaneous absorption, 395
Perfused human placenta, effect of certain drugs on, I. Narcotic analgesics, serotonin, and relaxin, 55
Permeability of red corpuscles to various water-soluble organic iodine compounds. Isotonic solutions XII, 904
Pernicious anemia, stability of cyanocobalamin in liver preparations for use in the treatment of, 721
Pharmaceutical analysis, gas chromatography and its application to, 1017
combinations, identification procedure for various sulfonamides in. Thin-layer chromatography in drug analysis I, 966
investigation of selected Alberta bentonites I. Geology and identification, 648; II, Limit tests and mechanical analysis, 651
literature, manually sorted punched card system for, 481
powders, water vapor sorption by, 310
preparations, prediction of stability in, VIII. Oil-in-water emulsion stability and the analytical ultracentrifuge, 35; IX, Solution degradation and chemical assay of actinospectacin, 436; X, Alkaline hydrolysis of hydrocortisone hemisuccinate, 445; XI, Increased stability of soluble steroid hemiesters by steric hindrance, 451
preparations, stability assays by quantitative paper chromatography. Steroid hormones in oil, 794
product, selection, evaluation, and control of the assay of, I. Reproducibilities of assay and drug recovery from dosage forms, 672; II, Effect of sampling and bulk mix heterogeneity on tablet variation, 764; III, Statistical and economic evaluation of the three-component infrared spectrophotometric assay of aspirin anhydride, 767; IV, Screening bulk drug stability and defining the assay of choice, 1034; V, Importance of assay validity, a case in point, 1036
products, finished, acceptance sampling of, 1187
research, X-ray and crystallographic applications in, I. Trace element determinations by X-ray emission, 731
Pharmaceuticals, application of absorbency ratios to the analysis of, IV. Analysis of ternary mixtures, 688
application of $\Delta\epsilon$-analysis to, II. Determination of morphine, 336
colorants for, 89
infrared analysis of, III. Identification and determination of adrenocortical steroids, barbiturates, and sulfonamides from paper chromatograms, 617
polarographic method of analysis for, 474
Pharmacognosy of Indian substitutes of male fern II. *Dryopteris barbigera* and *D. cochleata*, 367
Pharmacological effects and synthesis of bis-trialkylammonium alkanol carbonates, 348
investigation of the glucoside and aglucone isolated from *Caccinia glauca*, 1040
properties and preparation of some benzyl derivatives of diphenylacetic acid, 799
Pharmacology and biochemistry of drug metabolism, 297
and toxicology of scandium chloride, 1043
Pharmacy, physical properties of lipids used in, II. Use of heating-cooling curves to study lipid materials, 843
Phenacetin, barbiturates, aspirin, caffeine, codeine, and quinine, separation of tableted mixtures by ion-exchange paper chromatography, 666
Phenobarbital, analysis of, in relation to its degradation products, 645
degradation, mechanism of, 214
elixir, analysis of, by an ion-exchange and nonaqueous titration procedure, 944
Phenolic disinfectants, the mechanism of action of, I. Release of radioactivity from carbon^{14}-labeled *E. coli*, 261
Phenothiazine drugs, chromatography and electrophoresis of, 1169
free radical studies by electron-spin resonance of some derivatives of, 694
Phenothiazine-S^{35} compounds, excretion patterns in rats. Effect of change in structure on metabolism, 996
Phentolamine and tolazoline, effect of, on some metabolic processes of heart homogenates, 579
Phenylalkanolamines, acid dissociation constants of, 129
D-1-Phenyl-2-ureidopropane, toxicity and central depressant activity of, 83
Photometric microtitration of catechols (epinephrine), 700
Photostability of colored tablets, effect of ultraviolet absorbers on. Color stability of tablet formulations V, 321
Physical degradation of emulsions *via* the molecular diffusion route and possible prevention thereof, 459
properties of certain antitussive and antihistaminic agents, modification of, by formation of N-cyclohexylsulfamate salts, 931
Phytochemical investigation of *Amphipterygium adstringens*, 786
investigation. Studies on *Vinca major* II, 217
study, preliminary, of *Lychnis alba* saponin, 352
Pigeon, sensitization of, to epinephrine-induced ventricular fibrillation by a substituted propiophenone, 372
Pines, composition of gum turpentines of. *Pinus nelsonii* and *P. occidentalis*, 1131
grown in New Zealand, twenty-two species, composition of gum turpentines from, 970
Pinus nelsonii and *P. occidentalis*. Composition of gum turpentines of pines, 1131
Pinus occidentalis and *P. nelsonii*. Composition of gum turpentines of pines, 1131
Piperazines, sulfonyl, substituted, 32
Piper methysticum, false-positive alkaloid reactions obtained with extracts of, 1156
Plant tissue cultures, production of cardiac glycosides by, I. Nutritional requirements in tissue cultures of *D. lanata* and *D. purpurea*, 249
Plasminogen, human, streptokinase-activated, measurement of proteolytic and activator activity of. Standardization of fibrinolytic preparations, 314
Polarographic method of analysis for pharmaceuticals, 474
Polymers, anionic, effect of sulfate content of several on *in vitro* activity of pepsin, 857
synthetic, as potential enteric and sustained-release coatings, 808
Polyoxyethylene stearates, solubilization of benzoic acid derivatives by, 50

Polyporic acid, isolation of, from *Lopharia papyracea*, 1108
Polysorbate 80 containing and plain dispersions, changes on aging of. Rheology of thixotropic montmorillonite dispersions I, 947
Polyvinylpyridine derivatives, amphoteric. Protective coatings XIII, 1061
Potassium and magnesium salts of aspartic acid, effects of, on metabolic exhaustion, 592
Powders, pharmaceutical, water vapor sorption by, 310
Prediction of stability in pharmaceutical preparations VIII. Oil-in-water emulsion stability and the analytical ultracentrifuge, 35; IX, Solution degradation and chemical assay of actinospectacin, 436; X, Alkaline hydrolysis of hydrocortisone hemisuccinate, 445; XI, Increased stability of soluble steroid hemiesters by steric hindrance, 451
Preparation of azasteroids from cholestenone and progesterone. Steroids X, 418
and evaluation of thiamine N-cyclohexylsulfamate hydrochloride, 270
and pharmacological properties of some benzyl derivatives of diphenylacetic acid, 799
and properties of new gastric antacids V. Aluminum-magnesium hydroxide dried gels, 675; VI, Low sodium aluminum hydroxide gel and dried gels, 679
of soluble radiophosphate, 293
Preparations, liver, for use in the treatment of pernicious anemia, stability of cyanocobalamin in, 721
pharmaceutical, prediction of stability in, VIII. Oil-in-water emulsion stability and the analytical ultracentrifuge, 35; IX, Solution degradation and chemical assay of actinospectacin, 436; X, Alkaline hydrolysis of hydrocortisone hemisuccinate, 445; XI, Increased stability of soluble steroid hemiesters by steric hindrance, 451
pharmaceutical, stability assays by quantitative paper chromatography. Steroid hormones in oil, 794
Preservatives, antibacterial, in parenteral solutions, stability of, I. Factors influencing the loss of antimicrobial agents from solutions in rubber-stoppered containers, 224
manometric method for the evaluation of, 165
Primaquine, amodiaquin, and quinidine, some antiarrhythmic actions of, 791
Probability and complexation: a new approach, 1149
Procaine, effect of deuterium oxide on local anesthetic activity of, 1166
Procaine hydrochloride, study of the color reaction of streptomycin sulfate with, 496
Product, pharmaceutical, selection, evaluation, and control of the assay of, I. Reproducibilities of assay and drug recovery from dosage forms, 672; II, Effect of sampling and bulk mix heterogeneity on tablet variation, 764; III, Statistical and economic evaluation of the three-component infrared spectrophotometric assay of aspirin anhydride, 767; IV, Screening bulk drug stability and defining the assay of choice, 1034; V, Importance of assay validity, a case in point, 1036
Production of cardiac glycosides by plant tissue cultures I. Nutritional requirements in tissue cultures of *D. lanata* and *D. purpurea*, 249
Progesterone and cholestenone, preparation of azasteroids from. Steroids X, 418
L-Proline, ethylamine, and DL-methionine ethyl esters, thiophosphoric acid derivatives of, I, Synthesis, 427; II, Biological activities in guppies, 427; III, Biological activities in fruit flies, 540; IV, Biological activities in *Hyoscyamus niger* seeds, 544
Propallylonal, effects of β-diethylaminoethyl diphenylpropylacetate hydrochloride on, and three convulsants, 739
Propargyl-, ethyl-, hydroxyethyl-, and vinyloxethyl - benzyldimethylammonium halides and related compounds, investigation of. Sympathetic nervous blocking agents, 881
Propiophenone, substituted, sensitization of the pigeon to epinephrine-induced ventricular fibrillation by, 372
Protective coatings XIII. Amphoteric polyvinylpyridine derivatives, 1061
Proteolytic and activator activity of streptokinase-activated human plasminogen, measurement of. Standardization of fibrinolytic preparations, 314
Protoveratrines, hypotensive-emetic relationships in the unanesthetized dog among analogs of. Veratrum alkaloids LI, 1144
structure-activity relationships in a series of synthetic hypotensive analogs of. Veratrum alkaloids L, 1140
Psilocin, occurrence of, in *Psilocybe baeocystis*, 393
Psilocybe baeocystis, occurrence of psilocin in, 393
Psychomotor performance, effects of centrally-acting drugs on, 631
Psychopharmacologic and anticonvulsant drugs, comparison of, 548
Pteryxia terebinthina, defibrillatory substance from, 851
Pteryxin and suksdorfin, isolation, purification, and structure determination of. Coumarins I, 149
Punch and die control program and its contribution to tableting technology, 1181
Punched card system, manually sorted, for pharmaceutical literature, 481
Purity and identity, substitute for hydrogen sulfide in medicinal chemicals. Thioacetamide I, 773
test for ergonovine and methylergonovine, 702
Pyridine-2-aldoxime, chelates of, quantitative study of, 533
Pyridine-2-aldoxime methiodide, stability of, II. Kinetics of deterioration in dilute aqueous solutions, 141
Pyrilamine resin adsorbate tablets with aspirin and vitamin C, 1068

Q

Qualitative and quantitative tests for mepivacaine hydrochloride, 491
Quaternary ammonium compounds and hexachlorophene, antibacterial activity of mixtures of, 770
ammonium germicides as surface disinfectants, 908
Quantitative paper chromatography, stability assays of pharmaceutical preparations by. Steroid hormones in oil, 794
and qualitative tests for mepivacaine hydrochloride, 491
Quinazolines I. ω-Tertiaryamino-α-(4-quinazolyl)-α-phenylalkanenitriles, 1110
Quinidine, primaquine, and amodiaquin, some antiarrhythmic actions of, 791
Quinine, barbiturates, aspirin, phenacetin, caffeine, and codeine, separation of tableted mixtures by ion-exchange paper chromatography, 666

R

Racemization and synthesis of some optically active tripeptides of L- and D-leucine and L- and D-valine. Peptide studies V, 137
Radioactive sodium iodide, chick embryo technique for the evaluation of absorption of, from ointment bases, 233
evaluation of the absorption of, from various ointment bases by means of a chick embryo technique, 235
Radioactivity, release of, from carbon^{14}-labeled *E. coli*. Mechanism of action of phenolic disinfectants I, 261
Radiochemical purity of tritium exchange-labeled barbital, 385
Radioisotope technique, determination of calcium carbonate moisture content by, 1005
Radioisotopic method of evaluating dispersed systems I. Emulsions, 254
Radiophosphate, soluble, preparation of, 293
Radiorespirometry, screening antifatigue agents by, 598
Rat brain sulfhydryl levels, sciatic stimulated, 420
effect of small variations in heat stimulus temperature on the tail flick response of, in analgesimetry, 185
liver, isolated perfused, hydrocholeresis in the, 161
Rate, degradation, effect of caffeine on riboflavin base-catalyzed. Complex formation influence on reaction rate I, 1162
of dissolution and disintegration time of compressed tablets, specificity of the relationship between, 865
reaction, complex formation influence on, I. Effect of caffeine on riboflavin base-catalyzed degradation rate, 1162
studies, automated dissolution, of capsules and tablets, 957
studies on the hydrolysis of niacinamide, 655
Rates, dissolution, solubilities, and LT_{50}'s in mice of some salts of benzphetamine and etryptamine, relationship between *in vitro*, 993
Reaction rate, complex formation influence on, I. Effect of caffeine on riboflavin base-catalyzed degradation rate, 1162
Recovery, structural, kinetics of. Rheology of thixotropic montmorillonite dispersions II, 952
Red corpuscles, hemolysis of, by various substances in the presence of sodium chloride. Isotonic solutions XIII, 929
Relaxin. Effect on perfused human placenta I, 55
Release, medicament, from ointments, analysis of data on, 799
Reserpine blepharoptosis, yohimbine potentiation of, 345
R_f values, dependence of, on pH and ionic strength. Separation of amino acids on ion-exchange resin papers, 514
Rheological properties of corn oil emulsions with methylcellulose, 265
variability, temperature-induced, in an emulsion system, 742
Rheology of thixotropic montmorillonite dispersions I. Changes on aging of plain and polysorbate 80 containing dispersions, 947; II, Kinetics of structural recovery, 952
Riboflavin base-catalyzed degradation rate, effect of caffeine on. Complex formation influence on reaction rate I, 1162
marker in drug products, 1015
Ricinoleic acid of castor oil, relation of cathartic activity to structural modifications of, 999
Rotarod performance of mice, effects of stimulants on, 1007
Rubber-stoppered containers, factors influencing the loss of antimicrobial agents from solutions in. Stability of antibacterial preservatives in parenteral solutions I, 224

S

Saccharin derivatives VI. Synthesis and diuretic activity of 2-methyl-6-sulfamoylsaccharin, 1109
Salicyl alcohol-bisulfite reaction, kinetics and mechanism of, 258
Salicylamide sulfate, synthesis of and effect on calcium ion solubility, 1012
Salicylanilides, substituted, II. Further antimicrobial and other studies with halonitrosalicylanilides, 1152
Salicylic acid, colorimetric determination of, 1010
and sodium salicylate diffusion of, within hydrophilic ointments. Measurement with a new diffusion cell, 668
nuclear-substituted, stability of metal complexes of: correlation with biological effects, 329
Sample temperature, nonequilibrium, influence of, on stability predictions extrapolated from elevated temperature studies, 125
Sampling, acceptance, of finished pharmaceutical products, 1187

and bulk mix heterogeneity, effect on tablet variation. Selection, evaluation, and control of the assay of the pharmaceutical product II, 764

Saponin, *Lychnis alba*, preliminary phytochemical study of, 352

Scandium chloride, pharmacology and toxicology of, 1043

Schinopsis balansae, *Aristolochia triangularis*, and *Casearia sylvestris*, histological study of, 555

Schinus terebinthefolius, structural studies on terebinthone from, 245
structural studies on the triterpenes of, 1136

Sciatic stimulated rat brain sulfhydryl levels, 420

Scopolamine and hyoscyamine in *Datura stramonium*, biosynthesis of, 121

Screening antifatigue agents by radiorespirometry, 598
bulk drug stability and defining the assay of choice. Selection, evaluation, and control of the assay of the pharmaceutical product IV, 1034

Sedative agents, new 3-thiophene derivatives as, 1173

Seedlings, black mustard, effect of ionized air on early growth of, 184

Selection, evaluation, and control of the assay of the pharmaceutical product I Reproducibilities of assay and drug recovery from dosage forms, 672; II, Effect of sampling and bulk mix heterogeneity on tablet variation, 764; III, Statistical and economic evaluation of the three-component infrared spectrophotometric assay of aspirin anhydride, 767; IV, Screening bulk drug stability and defining the assay of choice, 1034; V, Importance of assay validity, a case in point, 1036

Sensitivity, loss of, in distinguishing real differences in dissolution rates due to increasing intensity of agitation, 432

Sensitization of the pigeon to epinephrine-induced ventricular fibrillation by a substituted propiophenone, 372

Separation of amino acids on ion-exchange resin papers. Dependence of R_f values on pH and ionic strength, 514
and identification of barbiturates and some related compounds by means of gas-liquid chromatography, 318
and identification of sympathomimetic amines by gas-liquid chromatography, 938
of tableted mixtures of barbiturates, aspirin, phenacetin, caffeine, codeine, and quinine by ion-exchange paper chromatography, 666

Serotonin. Effect on perfused human placenta I, 55

Silver and some barbituric acid derivatives, stability of anionic complexes of, 725

Sodium *p*-aminosalicylate and *p*-aminosalicylic acid, determination of *m*-aminophenol in, 178
iodide, radioactive, chick embryo technique for the evaluation of absorption of, from ointment bases, 233
iodide, radioactive, evaluation of the absorption of, from various ointment bases by means of a chick embryo technique, 235
low, aluminum hydroxide gel and dried gels. Preparation and properties of new gastric antacids VI, 679
salicylate and salicylic acid, diffusion of, within hydrophilic ointments. Measurement with a new diffusion cell, 668

Solid state stability of crystalline vitamin A compounds, 100

Solubilities, dissolution rates, and LT_{50}'s in mice of some salts of benzphetamine and etryptamine, relationship between *in vitro*, 993

Solubility, calcium ion, synthesis of salicylamide sulfate and its effect on, 1012
parameters, correlation between dielectric constants, 704
studies, use of an approximate dielectric constant in, 391

Solubilization of benzoic acid derivatives by polyoxyethylene stearates, 50
in nonpolar solvents. Influence of the chain length of solvent on the solubilization of water by dioctyl sodium sultosuccinate, 455
of water by dioctyl sodium sulfosuccinate, influence of the chain length of solvent on. Solubilization in nonpolar solvents, 455

Soluble radiophosphate, preparation of, 293
steroid hemiesters, increased stability of, by steric hindrance. Prediction of stability in pharmaceutical preparations XI, 451

Solution degradation and chemical assay of actinospectacin. Prediction of stability in pharmaceutical preparations IX, 436

Solutions, isotonic, XII. Permeability of red corpuscles to various water-soluble organic iodine compounds, 904; XIII, Hemolysis of red corpuscles by various substances in the presence of sodium chloride, 929
parenteral, stability of antibacterial preservatives in, I. Factors influencing the loss of antimicrobial agents from solutions in rubber-stoppered containers, 224
in rubber-stoppered containers, factors influencing the loss of antimicrobial agents from. Stability of antibacterial preservatives in parenteral solutions I, 224

Solvent, chain length of, influence of, on the solubilization of water by dioctyl sodium sulfosuccinate. Solubilization in nonpolar solvents, 455

Solvolysis of symmetrical and mixed aspirin anhydrides in 75% dioxane-25% water, 113

Sorbic acid, synthesis of some derivatives of, and their antifungal properties, 728

Sorption, water-vapor, and diffusion through hard gelatin capsules, 1002
water vapor, by pharmaceutical powders, 310

Spaced-release preparation, relationship between *in vitro* disintegration time and *in vivo* release of vitamins from a triple-dose, 623

Spectrographic, ultraviolet emission, determination of trace palladium to ascertain the method used to produce tetracycline, 911

Spectrophotometric study of aqueous solutions of warfarin sodium, 43
three-component infrared, assay of aspirin anhydride, statistical and economic evaluation of. Selection, evaluation, and control of the assay of the pharmaceutical product III, 767

Stability of anionic complexes of some barbituric acid derivatives and silver, 725
of antibacterial preservatives in parenteral solutions I. Factors influencing the loss of antimicrobial agents from solutions in rubber-stoppered containers, 224
assays of pharmaceutical preparations by quantitative paper chromatography. Steroid hormones in oil, 794
of calcium acetylsalicylate carbamide in the presence of high concentrations of additives, hydrolytic, 897
color, of tablet formulations V. Effect of ultraviolet absorbers on the photostability of colored tablets, 321; VI, Preliminary study of temperature dependency of colorant loss in tablets at various pH levels, 326
of cyanocobalamin in liver preparations for use in the treatment of pernicious anemia, 721
increased, of soluble steroid hemiesters by steric hindrance. Prediction of stability in pharmaceutical preparations XI, 451
of metal complexes of nuclear-substituted salicylic acids: correlation with biological effects, 329
oil-in-water emulsion, and the analytical ultracentrifuge. Prediction of stability in pharmaceutical preparations VIII, 35
in pharmaceutical preparations, prediction of, VIII. Oil-in-water emulsion stability and the analytical ultracentrifuge, 35; IX, Solution degradation and chemical assay of actinospectacin, 436; X, Alkaline hydrolysis of hydrocortisone hemisuccinate, 445; XI, Increased stability of soluble steroid hemiesters by steric hindrance, 451
of potassium phenethicillin I. Kinetics of degradation in aqueous solution, 523
predictions, influence of nonequilibrium sample temperature on, extrapolated from elevated temperature studies, 125
of pyridine-2-aldoxime methiodide II. Kinetics of deterioration in dilute aqueous solutions, 141
solid state, of crystalline vitamin A compounds, 100
of vitamins A, B_1, and C in selected vehicle matrices, 1076

Stabilization of epinephrine against sulfite attack, 206
of trypsin in ointment bases, 697

Standardization of fibrinolytic preparations. Measurement of proteolytic and activator activity of streptokinase-activated human plasminogen, 314

Statistical and economic evaluation of the three-component infrared spectrophotometric assay of aspirin anhydride. Selection, evaluation, and control of the assay of the pharmaceutical product III, 767

Steric hindrance, increased stability of soluble steroid hemiesters by. Prediction of stability in pharmaceutical preparations XI, 451

Steroid effects on Ca^{47} dynamics in dogs, kinetics of, with the analog computer I, 1050
hemiesters, soluble, increased stability of, by steric hindrance. Prediction of stability in pharmaceutical preparations XI, 451
hormones in oil. Stability assays of pharmaceutical preparations by quantitative paper chromatography, 794

Steroids IX. Synthesis of some thiazolosteroids, 414; X, Preparation of azasteroids from cholestenone and progesterone, 418
adrenocortical, identification and determination of, from paper chromatograms. Infrared analysis of pharmaceuticals III, 617
fluorinated, qualitative color test for identification and differentiation of, 698
soluble, I. Sugar derivatives, 1102

Stimulants, effects of, on rotarod performance of mice, 1007

Streptokinase-activated human plasminogen, measurement of proteolytic and activator activity of. Standardization of fibrinolytic preparations, 314

Streptomycin activity, eserine potentiation of, in bacteria-infected embryonated chicken eggs, 467
sulfate, study of the color reaction of, with procaine hydrochloride, 496

Structural modification of ricinoleic acid of castor oil, relation of cathartic activity to, 999
recovery, kinetics of. Rheology of thixotropic montmorillonite dispersions II, 952
studies on terebinthone from *Schinus terebinthefolius*, 245
studies on the triterpenes of *Schinus terebinthefolius*, 1136

Structure-activity relationships of drugs affecting the lungs, 191
relationships in a series of synthetic hypotensive analogs of the protoveratrines. Veratrum alkaloids I., 1140

Structure of argemonine, observations on the, 1196
effect of change in, on metabolism. Excretion patterns of phenothiazine-S^{35} compounds in rats, 996

Substituted β-amino ketones. Use of 3-azabicyclo[3.2.2]nonane in the Mannich reaction I, 878
heterocyclic thioureas I. Antitubercular activity, 1031
salicylanilides II. Further antimicrobial and other studies with halonitrosalicylanilides, 1152
thioureas, cyclized, II. Preparation of some 1-substituted 1,2,3,4-tetrazole-5-thiones, 862

N-Substituted hydantoins, anticonvulsant properties of some, 74
N- and S-Substituted derivatives of 2-aminobenzenethiol, synthesis of some, 840
S- and N-Substituted derivatives of 2-aminobenzenethiol, synthesis of some, 840
1-Substituted 1,2,3,4-tetrazole-5-thiones, preparation of some. Cyclized substituted thioureas II, 862
2 - Substituted - 1,3 - bis(*p* - dimethylaminobenzyl)-hexahydropyrimidines, preparation of. Hexahydropyrimidines I, 1071
Sugar derivatives. Soluble steroids I, 1102
Suksdorfin and pteryxin, isolation, purification and structure determination of. Coumarins I, 149
Sulfaethidole excretion in humans, control of urine pH and its effect on, 1084
Sulfate content of several anionic polymers on *in vitro* activity of pepsin, effect of, 857
Sulfide derivatives of cysteine II. Some sulfonamide derivatives of cysteine and methionine, 576
Sulfonamide derivatives of cysteine and methionine. Sulfide derivatives o cysteine II, 576
Sulfonamides, identification and determination of, from paper chromatograms. Infrared analysis of pharmaceuticals III, 617
in pharmaceutical combinations, identification procedure for. Thin-layer chromatography in drug analysis I, 966
Sulfhydryl levels, sciatic stimulated rat brain, 420
Sulfite attack, stabilization of epinephrine against, 206
Sulfonyl piperazines, substituted, 32
Suppositories, rectal, liquefaction time of, 566
Surface disinfectants, quaternary ammonium germicides as, 908
Sustained-release and enteric coatings, synthetic polymers as potential, 808
Sydnones as potential therapeutic agents, synthesis of, 1058
Sympathetic nervous system blocking agents. Investigation of ethyl-, hydroxyethyl-, vinyloxyethyl-, and propargyl-benzyldimethylammonium halides and related compounds, 881
Sympathomimetic amines, gas chromatography of, 393
amines, separation and identification of, by gas-liquid chromatography, 938
Synthesis of α- and β-amino ketone analogs of amino acids as antibacterial agents, 108
and antifungal evaluation of some derivatives of dialkoxybenzoic and dialkoxycinnamic acids, 962
of compounds containing the isoindoline ring system, 469
of diphenic acid derivatives, 941
and diuretic activity of 2-methyl-6-sulfamoylsaccharin. Saccharin derivatives VI, 1109
of medicinally important heterocycles, 1111
and pharmacological effects of bistrialkylammonium alkanol carbonates, 348
and pharmacological studies of some aliphatic hemicholinium analogs, 27
and racemization of some optically active tripeptides of L- and D-leucine and L- and D-valine. Peptide studies V, 137
of salicylamide sulfate and its effect on calcium ion solubility, 1012
of some N-aralkyl-N-methylaminoethyl carbanilates, 146
of some derivatives of sorbic acid and their antifungal properties, 728
of some monoamino alkynes, 804
of some new derivatives of N⁴-*p*-cyanobenzoyl sulfanilamide, 860
of some new hydrazone derivatives, 287
of some N- and S-substituted derivatives of 2-aminobenzenethiol, 840
of some thiazolosteroids. Steroids IX, 414
of sydnones as potential therapeutic agents, 1058
of 2-thiophene derivatives, 273
Synthetic polymers as potential enteric and sustained-release coatings, 808

T

Tablet disintegration apparatus, U.S.P., gasket insert modification of, 706
formulations, color stability of, V. Effect of ultraviolet absorbers on the photostability of colored tablets, 321; VI, Preliminary study of temperature dependency of colorant loss in tablets at various pH levels, 326
variation, effect of sampling and bulk mix heterogeneity on. Selection, evaluation, and control of the assay of the pharmaceutical product II, 764
Tableting technology, a punch and die control program and its contribution to, 1181
Tablets and capsules, automated dissolution rate studies of, 957
and capsules, timed-release, *in vitro* testing of, 181
colored, effect of ultraviolet absorbers on the photostability of. Color stability of tablet formulations V, 321
compressed, cellulose acetate succinate as an enteric coating for some, 484
compressed, specificity of the relationship between rate of dissolution and disintegration time of, 865
containing amines and lactose, discoloration of, 106
preliminary study of temperature dependency of colorant loss in, at various pH levels. Color stability of tablet formulations VI, 326
of pyrilamine resin adsorbate with aspirin and vitamin C, 1068
quantitative determination of dehydrocholic acid in, 1195
Tableted mixtures, separation of barbiturates, aspirin, phenacetin, caffeine, codeine, and quinine by ion-exchange paper chromatography, 666
Tail flick response of rats in analgesimetry, effect of small variations in heat stimulus temperature on, 185
Temperature dependency of colorant loss in tablets at various pH levels, preliminary study of. Color stability of tablet formulations VI, 326
Temperature-induced rheological variability in an emulsion system, 742
Terebinthone from *Schinus terebinthefolius*, structual studies on, 245
Ternary mixtures, analysis of. Application of absorbancy ratios to the analysis of pharmaceuticals IV, 688
ω - Tertiaryamino - α - (4 - quinazolyl)-α-phenylalkanenitriles. Quinazolines I, 1110
Tetracycline family, new alkaline-stable species for selected members of, 86
ultraviolet emission spectrographic determination of trace palladium to ascertain the method used to produce, 911
Tetrahydrofolic acid, analogs of, VI. N - [1 - (2 - Amino - 4 - hydroxy - 6-methyl - 5 - pyrimidyl) - 3 - propyl]-*p*-aminobenzoyl-L-glutamic acid, 596
Tetrazole analogs of various amino acids as possible bacterial antagonists, 189
1,2,3,4-Tetrazole-5-thiones, preparation of some 1-substituted. Cyclized substituted thioureas II, 862
Thiamine *N*-cyclohexylsulfamate hydrochloride, preparation and evaluation of, 270
Thiamine hydrolysis, kinetics of, 354
Thiazolosteroids, synthesis of some. Steroids IX, 414
Thiazolo[5,4-d]thiazole, derivatives of, 527
Thimerosal tincture N.F., infrared method for the determination of ethanol and acetone in, 242
Thin-layer chromatography in drug analysis I. Identification procedure for various sulfonamides in pharmaceutical combinations, 966
Thioacetamide I. Substitute for hydrogen sulfide in medicinal chemicals for identity and purity, 773; II, Substitute for hydrogen sulfide in the quantitative analysis of medicinal chemicals, 894
2-Thiophene derivatives, synthesis of, 273
3-Thiophene derivatives, new, as sedative agents, 1173
Thiophosphoric acid derivatives of ethylamine, DL-methionine, and L-proline ethyl esters I. Synthesis, 423; II, Biological activities in guppies, 427; III, Biological activities in fruit flies, 540; IV, Biological activities in *Hyoscyamus niger* seeds, 544
Thioureas, cyclized substituted, II. Preparation of some 1-substituted 1,2,3,4-tetrazole-5-thiones, 862
substituted heterocyclic, I. Antitubercular activity, 1031
Thixotropic montmorillonite dispersions, rheology of, I. Changes on aging of plain and polysorbate 80 containing dispersions, 947; II, Kinetics of structural recovery, 952
Titration, nonaqueous, and ion-exchange procedure, analysis of phenobarbital elixir, 944
Tolazoline and phentolamine, effect of, on some metabolic processes of heart homogenates, 579
Tolbutamide and chlorpropamide, identification test for, 1009
influence of the absorption rate of, on the rate of decline of blood sugar levels in normal humans, 509
Toxicology and pharmacology of scandium chloride, 1043
Thymol and eugenol, analysis of, employing ion-exchange resins, 365
Timed-release tablets and capsules, *in vitro* testing of, 181
Toxicities and activities, comparative, IV. Dinitro- and dichloronitrophenylamino acids and esters, 783
Toxicity and central depressant activity of D-1-phenyl-2-ureidopropane, 83
Trace element determinations by X-ray emission. X-ray and crystallographic applications in pharmaceutical research I, 731
Tranquilizers, effects of, on bacterial toxemias, III. Chlorpromazine, 71
Tripeptides of L- and D-leucine and L- and D-valine, synthesis and racemization of some optically active. Peptide studies V, 137
Triphenyltetrazolium determination of 17,21-dihydroxy-20-ketosteroids in tablets, 333
Triterpenes of *Schinus terebinthefolius*, structural studies on, 1136
Tritium exchange-labeled barbital, radiochemical purity of, 385
Trypsin, stabilization of, in ointment bases, 697
Turpentines, gum, from twenty-two species of pines grown in New Zealand, composition of, 970
of pines, gum, composition of. *Pinus nelsonii* and *Pinus occidentalis*, 1131

U

Ultrasound, preparation of microcrystalline progesterone using, 389
Ultraviolet absorbers, effect of, on the photostability of colored tablets. Color stability of tablet formulations V, 321
emission spectrographic determination of trace palladium to ascertain the method used to produce tetracycline, 911
Urinary and biliary excretion patterns of chlorpromazine in the dog, 833
Urine containing salicylate, determination of barbiturates in, 379
pH, control of, and its effect on sulfaethidole excretion in humans, 1084
U.S.P. tablet disintegration apparatus, gasket insert modification of, 706

V

Vanillic diethylamide, central stimulatory activity of, 157

Veratrum alkaloids L. Structure-activity relationships in a series of synthetic hypotensive analogs of the protoveratrines, 1140; LI, Hypotensive-emetic relationships in the unanesthetized dog among analogs of the protoveratrines, 1144
Vinblastine, an alkaloid from *Vinca rosea*, colorimetric method for the determination of, I, 187
Vinca major, studies on, II. Phytochemical investigation, 217
Vinca roseа (*Catharanthus roseus*), alkaloids of, XII. Preparation and characterization of trace alkaloids, 518
current status of research on the alkaloids of, 707
Vinyloxyethyl-, ethyl-, hydroxethyl-, and propargyl-benzyldimethylammonium halides and related compounds, investigation of. Sympathetic nervous system blocking agents, 881
Visnadin, digitoxin antagonism by, 1013
Vitamin A compounds, solid state stability of crystalline, 100
B_1, and C, stability of, in selected vehicle matrices, 1076
Vitamin B_6, A, and C, stability of, in selected vehicle matrices, 1076
Vitamin C and aspirin, tablets of pyrilamine resin adsorbate with, 1068
A, and B_1, stability of, in selected vehicle matrices, 1076
Vitamins, relationship between *in vitro* disintegration time and *in vivo* release of, from a triple-dose spaced-release preparation, 623

W

Warfarin sodium, spectrophotometric study of aqueous solutions of, 43
Water, influence of the chain length of solvent on the solubilization of, by dioctyl sodium sulfosuccinate. Solubilization in nonpolar solvents, 455
vapor sorption and diffusion through hard gelatin capsules, 1002
vapor sorption by pharmaceutical powders, 310
Withania somnifera, occurence of *iso*pelletierine in, 1194

X

Xanthine molecules, interactions of with bovine serum albumin, 66
X-ray and crystallographic applications in pharmaceutical research I. Trace element determinations by X-ray emission, 731
emission, trace element determinations by. X-ray and crystallographic applications in pharmaceutical research I, 731

Y

Yohimbine potentiation of reserpine blepharoptosis, 345